

Цитати:

Общ брой: 302

Брой цитирани публикации: 10

Брой цитиращи източници: 31

Коригиран брой: 17.938

2006

1. Maria Yankova, Violin Raykov. Approximate assessment of the natural mortality rate of the horse mackerel, *Trachurus mediterraneus ponticus* Aleev in the Bulgarian Black Sea territorial waters.. *Cercetary marine INCD.M.*, 36, 2006, 341-348

Цитира се в:

1. Gülçin Ulunehir Aydin 2017. An investigation on biological aspects of *Trachurus trachurus* (Linnaeus, 1758) and *Trachurus mediterraneus* (Steindachner, 1868) populations living in the Gulf of Edremit at Northern Aegean Sea. PH.D Thesis BALIKESIR UNIVERSITY INSTITUTE OF SCIENCE BIOLOGY., @2017 1.000
2. Yankova Maria,, Raykov Violin,. Morphological properties of Horse mackerel, *Trachurus mediterraneus ponticus* Aleev (Osteichthyes: Carangidae) from the Black Sea. *Turkish Journal of fisheries and Aquatic Sciences*, 6, 2, 2006, 85-91

Цитира се в:

2. Bektas, Y., Belduz, A.O., 2008. Molecular phylogeny of Turkish *Trachurus* species (Perciformes: Carangidae) inferred from mitochondrial DNA analyses. *Journal of Fish Biology*. Vol. 73, Issue 5, pages 1228-1248., @2008 1.000
3. Muhammad Naeem, Abdus Salam, Muhammad Ashraf, Muhammad Khalid and Abir Ishtiaq 2011. External morphometric study of hatchery reared mahseer (*Tor putitora*) in relation to body size and condition factor. *African Journal of Biotechnology*.Vol.10(36), 7071-7077, ISSN:1684-5315., @2011 1.000
4. P.E. Ndimele, C.A. Kumolu-Johnson, 2011. Preliminary Study on Phsico-chemistry and Comperative Morphometric Characterisation of *Cynothrissa mento* (Regan, 1917) from Ologe, Badagry and Epe Lagoons, Lagos Nigeria. *International Journal of Agricultural Research* 6(10): 736-746, ISSN 1816-4897/DOI: 10.3923/ijar. 2011.736.746., @2011 1.000
5. Ana Pešić, Aleksandar Joksimović, Mirko Đurović, Milica Mandić, Olivera Marković and Zdravko Ikica 2012. Biological Characteristic of Mediterranean Horse Mackerel (*Trachurus Mediterraneus*, Steindachner, 1868) from the Montenegrin Shelf (Southern Adriatic). *Water Research and Management*. Vol. 2, No. 3, 29-33, @2012 1.000
[Линк](#)
6. Öztürk B. Illegal, Unreported and Unregulated (IUU) Fishing Problems in the Turkish Part of the Black Sea (Eds. Duzgunesg E, Ozturk B., M. Zengin), 2014, 200-210, TUDAV publ. 40., @2014 1.000
7. Nadir Başçınar, Fatma Delihasan Sonay, Halim İbrahim Erbaş, 2015. Determination of stocking density of wild horse mackerel (*Trachurus mediterraneus* Steindachner, 1868) in tank reared condition in the Black Sea aquaculture Europe., @2015 [Линк](#) 1.000
8. Orhan AK, Hüseyin Selen, Yaşar Genç, Murat Dağtekin, Bayram Zengin, Murat Erbay, Elvan Atılğan, N. Selda Başçınar, D. Selim Misir, İlhan Aydın, Serkan Serdar. Trabzon kıyılarında yumurtadan ergin bireye istavrit (*Trachurus mediterraneus*, Steindachner, 1868): Yaş, Büyüme, Ölüm Oranları ve Üreme. su Ürünleri Merkez Araştırma Enstitüsü Aralık/2015., @2015 1.000

9. Nadir BAŞÇINAR, Fatma Delihasan SONAY, Şahin ALSAN, İlhan ALTINOK, 2016. İstavrit Balığı (Trachurus mediterraneus Steindachner, 1868)'nin Doğu Karadeniz'de Kafeslerde Büyüme Performansının Belirlenmesi. Journal of Agricultural Sciences, 22 (2016) 179-186., @2016 [Link](#) 1.000
10. Kuzminova N.S., Murzin Yu.L., Samotoy Yu.V., 2018. Population, morphophysiological and morphometric differences of Black Sea horse mackerel from coastal area of Sevastopol and Balaklava. Ученые записки Крымского федерального университета имени В. И. Вернадского Биология. Химия. Том 4 (70). 2018. № 4. С. 97–107. УДК 597.556.331.1:591.4(262.5), 2018, @2018 [Link](#) 1.000

2007

3. Trayanov T., Raykov V., Marinova V., Michneva V., Zaharia T, Maximov V, Yankova M., Golumbeanu M. Marine protected areas in the Northern part of the Bulgarian Black Sea shelf. Journal of Environmental Protection and Ecology.. 8, 3, 2007, 574-590

Цитира се в:

11. Fagaras, M. 2012. Habitats of conservative interest and plant communities in the sandy black sea coast area of Romania and Bulgaria. Journal of environmental protection and ecology, Volume: 13 Issue: 3A Special Issue: SI Pages: 1688-1694., @2012 1.000
12. Öztürk B., Topaloğlu B., Kıdeys A., Bat L., Keskin Ç., Sezgin M., Öztürk A., Yalciner A. 2013. A proposal for new marine protected areas along the Turkish Black Sea coast. J. Black Sea/Mediterranean Environment, Vol. 19, No. 3: 365-379., @2013 1.000
13. Zanopol, A. T., F. Onea, E. Rusu. 2014. Evaluation of the coastal influence of a generic wave farm operating in the Romanian nearshore, Journal of environmental protection and ecology. V. 15 Issue: 2 Pages: 597-605., @2014 1.000
14. Margarita Stancheva , Hristo Stanchev , Preslav Peev, Giorgio Anfuso, Allan Thomas Williams, 2016. Coastal protected areas and historical sites in North Bulgaria Challenges, mismanagement and future perspectives. Ocean & Coastal Management 130 (2016) 340-354., @2016 1.000

2008

4. Violin Raykov, Maria Yankova. Growth dynamics and mortality estimation of the horse mackerel (Trachurus mediterraneus ponticus, Aleev) migrating along the Bulgarian Black Sea Coast for the period 2003 - 2005.. Proceedings of first Biannual Scientific Conference "Black Sea Ecosystem and Beyond, BSK Istanbul, Turkey, 765-778, (2008), 2008, 765-778

Цитира се в:

15. Torcu Koç H., Erdogan Z. " Some population parameters of the Mediterranean horse mackerel (Trachurus mediterraneus (Steindachner, 1868)] population living in Bandırma Bay, The Sea of Marmara". J. BAUN Inst. Sci. Technol., 21(1), 265-277, (2019) DOI: 10.25092/baunfbed.546640, 2019., @2019 1.000
5. Raykov, V, Schlyakhov, VI, Maximov, V, Radu, Gh, Staicu, I, Panayotova, M, Yankova, M, Bikarska, I. Limit and Target Reference Points for Rational Exploitation of the Turbot (Psetta maxima L.) and Whiting (Merlangius merlangus euxinus Nordm.) in the Western Part of the Black Sea. Acta Zoologica Bulgarica, 2, 2008, ISSN:0324-0770, 305-316.

SJR (Scopus):0.19, JCR-IF (Web of Science):0.532

Цитира се в:

16. Shlyakhov, V. A., & YugNIRO, K. THE STATE OF MARINE LIVING RESOURCES (V. Shlyakhov & G. 1.000 Daskalov)., @2008 [Линк](#)
17. Piet, G. J., Albella, J., Aro, E., Farrugio, H., Leonart, J., Lordan, C., ... & Ratz, H. J. (2010). MARINE 1.000 STRATEGY FRAMEWORK DIRECTIVE Task Group 3 Report Commercially exploited fish and shellfish. Office for Official Publications of the European Communities., @2010 [Линк](#)
6. Maria Yankova, Violin Raykova, Petya Bogomilova. Diet composition of Horse mackerel, *Trachurus mediterraneus ponticus* Aleev, 1956 (Osteichthyes: Carangidae) in the Bulgarian Black Sea waters.. *Tukish Journal of Fisheries and Aquatic Sciences*, 8, 2008, 321-327

Цитира се в:

18. Ali, Mohammad. Unusual abundance of Podon spp. in Kuwait Bay, northwestern Arabian Gulf. *Crustaceana*, 1.000 Volume 83, Number 12, 2010, pp. 1519-1530(12). DOI: 10.1163/001121610X538192, ISSN: 0011-216x E-ISSN: 1568-5403., @2010
19. Robert N. M. Ahrens, Carl J. Walters, Villy Christensen. Foraging arena theory, 2012. *Fish and Fisheries*, 13, 1.000 41-49., @2012
20. Sullivan LJ, Kremer P, 2012. Gelatinous Zooplankton and Their Trophic Roles *Treatise on Estuarine and 1.000 Coastal Science (Book Chapter)*, Volume 6, March 06, 2012, Pages 127-171., @2012
21. Modelización ecológica del golfo de cádiz: relaciones tróficas, análisis de la estructura de la comunidad e 1.000 impacto de la pesca en el ecosistema. M Ángeles Torres Leal. Tesis doctoral 2013., @2013
22. Šantić, M., Rada, B., Pallaoro, A. 2013. Diet of juveniles Mediterranean horse mackerel, *Trachurus 1.000 mediterraneus* and horse mackerel, *Trachurus trachurus* (Carangidae), from the eastern central Adriatic. *Cahiers de Biologie Marine* 54, 41-48. ISSN 2262-3094., @2013
23. Hamid M.A.; Bagheri S.; Nor S.A.M., Mansor M., 2015. A comparative study of seasonal food and feeding 1.000 habits of beardless barb, *Cylocheilichthys apogon* (Valenciennes, 1842), in Temengor and Bersia Reservoirs, Malaysia. *Iranian Journal of Fisheries Sciences*. 14(4) 1018-1028., @2015
24. Rodrigues, Pedro Gonçalo. "A Terapêutica Fotodinâmica e o Diagnóstico Diferencial no Tratamento e Profilaxia 1.000 Das Doenças de Peixes." (2015). Dissertação de Mestrado apresentada ao Instituto de Ciências Biomédicas Abel Salazar da Universidade do Porto – Ciências do Mar e Recursos Marinhos., @2015
25. Wahbi F., Le Loc'h, F., Berreho A., Benazzouz A., MhMed A., & Errhif, A. 2015. Composition et variations 1.000 spatio-temporelles du régime alimentaire de *Trachurus trachurus* (Carangidae) de la côte atlantique marocaine. *CYBIUM: International Journal of Ichthyology*, 39(2): 131-142., @2015
26. Marta Albo-Puigserver, Joan Navarro, Marta Coll, Craig A. Layman, Isabel Palomera, 2016. Trophic structure of 1.000 pelagic species in the northwestern Mediterranean Sea. *Journal of Sea Research* 117 (2016) 27–35., @2016
27. Karachle, & Stergiou (2017). An update on the feeding habits of fish in the Mediterranean Sea (2002-2015). 1.000 *Mediterranean Marine Science*, 18, 43-52., @2017

28. Marta Albo-Puigserver, Ana Muñoz, Joan Navarro, Marta Coll, Heidi Pethybridge, Sonia Sánchez, Isabel Palomera 2017. Ecological energetics of forage fish from the Mediterranean Sea: seasonal dynamics and interspecific differences. Deep Sea Research Part II Topical Studies in Oceanography. DOI: 10.1016/j.dsr2.2017.03.002., @2017 1.000
29. Georgieva Y., Daskalov G., Klayn, St. B. Stefanova K., Stefanova E." Seasonal Diet and Feeding Strategy of Horse Mackerel *Trachurus mediterraneus* (Steindachner, 1868) (Perciformes: Carangidae) in the South-Western Black Sea". Acta zool. bulg., 71 (2), 2019: 201-210, 2019, @2019 1.000
30. Joan Mir-Arguimbau, Ana Sabatés, Uxue Tilves. "Trophic ecology of *Trachurus mediterraneus* juveniles associated with the jellyfish *Rhizostoma pulmo* and *Cotylorhiza tuberculata*". Journal of Sea Research 147 (2019) 28–36., 2019, @2019 1.000
31. Kuzminova N. S., Chesnokova I. I., Arhipova S. V. " Modern knowledge about nutrition and digestion of black sea scorpion fish (*Scorpaena porcus* L.)". Ekosystemy. 2017. Iss. 10 (40). p. 52–63, 2017, @2019 1.000
32. Saglam H., Yıldız I." Temporal and ontogenetic variation in the diet of three small pelagic fish in the Black Sea of Turkey". Marine Biodiversity, Volume 49, Issue 4, pp 1799–1812, 2019, @2019 1.000

2009

7. Daskalov, G., **Raykov, V.**, Panayotova, M., Radu, G., Maximov, V., Shlyakhov, V., Duzgunez, E., Rätz, H.-J.. Scientific, Technical and Economic Committee for Fisheries. Report of the SGMED-09-01 working group on the review of advice on Black Sea Stocks for 2009. EUR – Scientific and Technical Research series, Luxembourg: Office for Official Publications of the European Communities , Joint Research Centre – Institute for the Protection and Security of the Citizen, 2009, ISBN:978-92-79-12605-5, ISSN:1018-5593, DOI:10.2788/19709, 1-158

Цитира се е:

33. Bradai M.N., Saidi B. and Enajjar S, 2012. Elasmobranchs of the Mediterranean and Black sea: status, ecology and biology. Bibliographic analysis. Studies and Reviews. General Fisheries Commission for the Mediterranean. No. 91. Rome, FAO, 2012, 103 pp., @2012 [Линк](#) 1.000
34. Grishin A., 2017. Production and regulation features of the Black Sea sprat *Sprattus sprattus phalericus* catches. . Trud. YugNIRO, vol. 54, pp.64-70, УДК 593.8+593.7:639.22053.7(262.5), ISSN 1026-5643 (print). ISSN 2412-8864 (online), @2017 [Линк](#) 1.000
8. **Maria Yankova**, Danail Pavlov, **Violin Raykov**. Population dynamics of horse-mackerel *Trachurus mediterraneus*, as a valuable economic species for the Bulgarian Black Sea Coast.. The Annals of the University Dunarea de Jos of Galati Fascicle VI. Food Technology, New Series Year III (XXXII), The International Symposium Euro-aliment 2009, 9th-10th of October 2009, Galati, Romania., 2009, 70-77

Цитира се е:

35. Ana Pešić, Aleksandar Joksimović, Mirko Đurović, Milica Mandić, Olivera Marković and Zdravko Ikica 2012. Biological Characteristic of Mediterranean Horse Mackerel (*Trachurus Mediterraneus*, Steindachner, 1868) from the Montenegrin Shelf (Southern Adriatic). Water Research and Management. Vol. 2, No. 3, 29-33. http://www.wrmjournal.com/index.php?option=com_content&id=134&Itemid=165, @2012 1.000
36. Hasan Huseyin Satilmis, Cetim Sumer, Suleyman Ozdemir, Baric Bayrakli 2014. Length-weight relationships of the three most abundant pelagic fish species caught by mid-water trawls and purse seine in the Black Sea. 1.000

37. Bekir Tufan, Nadir Başçınar & Sevim Köse (2016) Comparison of Proximate Composition and Fatty Acid Profile of On-Growing and Wild Mediterranean Horse Mackerel (*Trachurus mediterraneus*), Journal of Aquatic Food Product Technology, 25:8, 1284-1300, DOI:10.1080/10498850.2015.1056398., @2016 1.000
38. Gülçin Ulunehir Aydin 2017. An investigation on biological aspects of *Trachurus trachurus* (Linnaeus, 1758) and *Trachurus mediterraneus* (Steindachner, 1868) populations living in the Gulf of Edremit at Northern Aegean Sea. PH.D Thesis BALIKESIR UNIVERSITY INSTITUTE OF SCIENCE BIOLOGY., @2017 1.000
39. Elena B. Melnikova, Natalya S. Kuz'minova. "The connection of the intensity of the plankton community luminescence and the age distribution of horse mackerel in the coastal waters of the south-western Crimea". Ecologica Montenegrina 19: 53-60, 2018, @2018 1.000
40. Kasapoğlu, N. (2018). Age, Growth, and Mortality of Exploited Stocks: Anchovy, Sprat, Mediterranean Horse Mackerel, Whiting, and Red Mullet in the Southeastern Black Sea. Aquatic Sciences and Engineering, 33(2): 39-49., @2018 1.000
9. Raykov, Violin, Yankova, Maria, Petrova, E.. Stock Condition, Population Dynamics and Peculiarities in Biology of the Turbot (*Psetta maxima* L.) in Relation with Measures for Its Rational Exploitation of Bulgarian Black Sea Coast. Journal of Environmental Protection and Ecology, 10, 2, 2009, 420-427. ISI IF:0.178

Цумура се е:

41. 1. Anton, E. S. Nicolaev, G. Radu, V. Maximov 2012 Research on the Selectivity of the Pelagic Trawls Used in the Romanian Coastal Fishery with Small Tonnage Vessels Journal of Environmental Protection and Ecology 13, No 3A, 1783–1791 (2012) IF = 0.259 (2012), @2012 1.000
42. Kasapoglu N., Duzgunes E. 2015. Otolith atlas for the Black sea. Journal of Environmental Protection and Ecology 16, No 1, 133–144., @2015 1.000
10. Yankova, Maria, Raykov Violin,. Resent investigation on population structure of Horse mackerel (*Trachurus mediterraneus ponticus* Aleev., 1956) in the Bulgarian Black Sea coast. Proceedings of the Institute of Fishing Resources Varna, 27, 2009, 39-41

Цумура се е:

43. Tserkova, F. Boyadzhieva-Doychinova, D. Gevezova, M. Petrova-Klisarova D., Denev, I. 2013. Molecular taxonomic study of horse mackerel (*Trachurus mediterraneus*) using ITS1 variability. Bulgarian Journal of Agricultural Science, 19 (Supplement 1) 2013, 55–61, Agricultural Academy, @2013 1.000
44. Düzgüneş E., Öztürk, B., Zengin M. Eds. Turkish Fisheries in the Black Sea. Published by Turkish Marine Research Foundation (TUDAV), Publication number: 40, 2014, Istanbul, Turkey., @2014 1.000

2010

11. Daskalov, G., Gümüş, A., Maximov, V., Panayotova, M., Radu, G., Raykov, V., Shlyakhov, V., Zengin, M., Rätz, H.-J., Scott, R., Druon, J.-N.. Scientific, Technical and Economic Committee for Fisheries. Review of scientific advice for 2010 – part 3b. Advice on Stocks of Interest to the European Community in the Black Sea.. EUR – Scientific and Technical Research series, Luxembourg: Publications Office of the European Union, 2010, ISBN:978-92-79-18920-3, ISSN:1831-

Цитира се в:

45. Tserkova F., Georgieva – Klisarova D., 2013. Some biological parameters of sprat (*Sprattus sprattus* L.) on the Bulgarian Black Sea coast in 2012. Proceedings of Union of Scientists –Varna, "Marine Sciences" Series, pp.39-44, @2013 [Линк](#) 1.000
 46. Goulding, Ian C., Kim A. Stobberup, and Tim O'Higgins, 2014. Potential Economic Impacts of Achieving Good Environmental Status in Black Sea Fisheries. Ecology and Society, 19, no. 3 (2014). Doi:10.5751/ES-06817-190332, @2014 [Линк](#) 1.000
 47. O'Higgins, T., P. Cooper, E. Roth, A. Newton, A. Farmer, I. C. Goulding, and P. Tett. 2014. Temporal constraints on ecosystem management: definitions and examples from Europe's regional seas. Ecology and Society 19(4): 46., @2014 [Линк](#) 1.000
 48. Grishin A., 2017. Production and regulation features of the Black Sea sprat *Sprattus sprattus phalericus* catches. . Trud. YugNIRO, vol. 54, pp.64-70, УДК 593.8+593.7:639.22053.7(262.5), @2017 [Линк](#) 1.000
 49. Nita V., Nenciu M., 2017. Using recirculating technology in pilot-system for mariculture at the Romanian Black Sea coast. Journal of Environmental Protection and Ecology 18, No 1, pp. 255–263., @2017 [Линк](#) 1.000
12. Radu, G., Anton, E., **Raykov, V., Yankova, M., Panayotova, M.,** Sprat and turbot fisheries in the Bulgarian and Romanian Black Sea areas.. International Multidisciplinary Scientific Geoconference and Expo SGEM, 20 - 26 June 2010, Albena, Bulgaria, 2010

Цитира се в:

50. Tserkova F., 2015. Several basic population parameters of Sprat (*Sprattus Sprattus* L.) in front of the Bulgarian Black Sea coast in 2014. Proceedings of Union of Scientists –Varna, "Marine Sciences" Series, pp.42-46, ISSN 1314-3379, @2015 [Линк](#) 1.000
 51. İsmet BALIK."Comparatively Evaluation of the Sprat (*Sprattus sprattus*) Fisheries in the Whole of the Black Sea and in the Turkish Coast of the Black Sea"Turkish Journal of Maritime andMarine Sciences Volume: 4 Issue: 1, 52-62, 2018., @2018 1.000
13. **Yankova, Maria, Raykov, Violin,** Gerdzhikov, D., Frateva, P.. Growth and length-weight relationships of the horse mackerel, *Trachurus mediterraneus ponticus* (Aleev, 1956), off the Bulgarian Black Sea coast. TURKISH JOURNAL OF ZOOLOGY, 2010, DOI:10.3906/Zoo-0811-10, 85-92. ISI IF:0.63

Цитира се в:

52. Ana Pešić, Aleksandar Joksimović, Mirko Đurović, Milica Mandić, Olivera Marković and Zdravko Ikica 2012. Biological Characteristic of Mediterranean Horse Mackerel (*Trachurus Mediterraneus*, Steindachner, 1868) from the Montenegrin Shelf (Southern Adriatic). Water Research and Management. Vol. 2, No. 3, 29-33., @2012 1.000
53. Tserkova, F., Boyadzhieva-Doychinova, D., Gevezova, M., Petrova-Klisarova D., Denev, I. 2013. Molecular taxonomic study of horse mackerel (*Trachurus mediterraneus*) using ITS1 variability. Bulgarian Journal of Agricultural Science, 19 (Supplement 1) 2013, 55–61, Agricultural Academy., @2013 1.000

54. Hasan Huseyin Satilmis, Cetim Sumer, Suleyman Ozdemir, Baris Bayrakli 2014. Length-weight relationships of the three most abundant pelagic fish species caught by mid-water trawls and purse seine in the Black Sea. *Cahiers de Biologie Marine* 55(2):259-265., @2014 1.000
55. Ilhan Yandi and Ilhan Altinok "Defining the starvation potential and the influence on RNA/DNA ratios in horse mackerel (*Trachurus mediterraneus*) larvae". *Helgoland Marine Research*, 69:414", 2014, @2014 (x) 1.000
56. COSTA FILHO, J.; MELLO, G. L. de. Crescimento alométrico positivo entre características biométricas de juvenis de robalo-flecha (*Centropomus undecimalis* Bloch, 1972) cultivados. *Arq. Ciênc. Vet. Zool. UNIPAR*, Umuarama, v. 18, n. 1, p. 21-26, jan./mar. 2015., @2015 1.000
57. Ilhan Yandi, Ilhan Altinok 2015. Defining the starvation potential and the influence on RNA/DNA ratios in horse mackerel (*Trachurus mediterraneus*) larvae. Original Article *Helgoland Marine Research* March 2015, Volume 69, Issue 1, pp 25-35., @2015 1.000
58. Suleyman Ozdemir, Ercan Erdem, Zekiye Birinci Ozdemir, Hakan Aksu . Monthly monitoring of length-weight relationships of allis shad (*Alosa immaculata* Bennett, 1835), horse mackerel (*Trachurus mediterraneus* Steindachner, 1868) and sprat (*Sprattus sprattus* Linnaeus, 1758) from the Southern Black Sea, Turkey. *Cahiers de Biologie Marine* 56(1):25-30 · January 2015 , @2015 1.000
59. Gülçin Ulunehir Aydin 2017. An investigation on biological aspects of *Trachurus trachurus* (Linnaeus, 1758) and *Trachurus mediterraneus* (Steindachner, 1868) populations living in the Gulf of Edremit at Northern Aegean Sea. PH.D Thesis BALIKESIR UNIVERSITY INSTITUTE OF SCIENCE BIOLOGY., @2017 1.000
60. Ruas, L., Vaz-dos-Santos A., 2017. Age structure and growth of the rough scad, *Trachurus lathami* (Teleostei: Carangidae), in the Southeastern Brazilian Bight. *ZOOLOGIA* 34: e20475 ISSN 1984-4689 (online)., @2017 [Линк](#) 1.000
61. Melnikova E. B., Kuzminova N. S. "Comparative estimation of the growth characteristics of horse mackerel from the south-western shelf of the Crimea in the autumn-winter and spring-summer periods". *Ekosystemy*. Iss. 13 (43). p. 59–67., 2018, @2018 1.000
62. Torcu Koç H., Erdogan Z. "Some population parameters of the Mediterranean horse mackerel (*Trachurus mediterraneus* (Steindachner, 1868)] population living in Bandırma Bay , the Sea of Marmara". *J. BAUN Inst. Sci. Technol.*, 21(1), 265-277, DOI: 10.25092/baunfbed.546640, 2019., @2019 1.000
14. Raykov V.St, Lepage, M., Domínguez R.I P-. First record of oriental shrimp, *Palaemon macrodactylus* Rathbun, 1902 in Varna Lake, Bulgaria. *Aquatic Invasions*, 5, 1, Regional Euro-Asian Biological Invasions Centre (REABIC), Helsinki, Finland REABIC is a member of Publishers International Linking Association (PILA), 2010, ISSN:ISSN: 1818-5487, DOI:doi: 10.3391/ai.2010.5.S1.019, 91-95. ISI IF:1.613

Цитира се в:

63. Lavesque, N., Bachelet, G., Béguer, M., Girardin, M., Lepage, M., Blanchet, H., ... & Auby, I. (2010). Recent expansion of the oriental shrimp *Palaemon macrodactylus* (Crustacea: Decapoda) on the western coasts of France. *Aquatic Invasions*, 5., @2010 [Линк](#) 1.000
64. Panov, V. E., Gollasch, S., & Lucy, F. (2011). Open-access journal *Aquatic Invasions*: An important part of the developing European information and early warning system on invasive alien species. *Aquatic Invasions.*, @2011 [Линк](#) 1.000
65. Warkentine, B. E., & Rachlin, J. W. *Northeast Natural History Conference 2011: Selected Papers* 20 1 2 1.000

- Northeastern Naturalist 19 (Special Issue 6): 173-180., @2011 [Линк](#)
66. Guadalupe Vázquez, M., Ba, C. C., & Spivak, E. D. (2012). Life history traits of the invasive estuarine shrimp *Palaemon macrodactylus* (Caridea: Palaemonidae) in a marine environment (Mar del Plata, Argentina). *Scientia Marina*, 76(3), 507-516., @2012 [Линк](#) 1.000
 67. Warkentine, B. E., & Rachlin, J. W. (2012). *Palaemon macrodactylus* Rathbun 1902 (Oriental Shrimp) in New York: Status Revisited. *Northeastern Naturalist*, 19(sp6), 173-180., @2012 [Линк](#) 1.000
 68. Ashelby, C. W., De Grave, S., & Johnson, M. L. (2013). The global invader *Palaemon macrodactylus* (Decapoda, Palaemonidae): an interrogation of records and a synthesis of data. *Crustaceana*, 86(5), 594-624., @2013 [Линк](#) 1.000
 69. Bonel, N., Alda, P., & Martorelli, S. R. (2013). Larger and heavier individuals of the invasive shrimp *Palaemon macrodactylus* in the Salado River, Argentina. *Aquatic Invasions*, 8(3), 341-346., @2013 [Линк](#) 1.000
 70. Bonel, N., Alda, P., & Martorelli, S. R. (2013). Larger and heavier individuals of the invasive shrimp *Palaemon macrodactylus* in the Salado River, Argentina. *Aquatic Invasions*, 8(3), 341-346., @2013 [Линк](#) 1.000
 71. Vázquez, M. G., Bas, C. C., & Spivak, E. D. (2013). Seasonal variation in reproductive traits of the oriental shrimp *Palaemon macrodactylus* (Crustacea: Caridea: Palaemonidae) in a non-native population. *Helgoland Marine Research*, 67(4), 749., @2013 [Линк](#) 1.000
 72. Vázquez, M. G., Ituarte, R. B., Bas, C. C., & Spivak, E. D. (2013). Effects of temperature and salinity on the ovarian cycle and the embryonic development of the invasive shrimp *Palaemon macrodactylus*. *Journal of Crustacean Biology*, 33(2), 218-223., @2013 [Линк](#) 1.000
 73. Cuesta, J. A., Bettoso, N., Comisso, G., Frogliа, C., Mazza, G., Rinaldi, A., ... & Scovacicchi, T. (2014). Record of an established population of *Palaemon macrodactylus* Rathbun, 1902 (Decapoda, Palaemonidae) in the Mediterranean Sea: confirming a prediction. *Mediterranean Marine Science*, 15(3), 569-573., @2014 [Линк](#) 1.000
 74. González-Ortegón, E., Sargent, P., Pohle, G., & Martínez-Lage, A. (2014). The Baltic prawn *Palaemon adspersus* Rathke, 1837 (Decapoda, Caridea, Palaemonidae): first record, possible establishment, and illustrated key of the subfamily Palaemoninae in northwest Atlantic waters. *Aquatic Invasions*, 10(3), 299-312., @2014 [Линк](#) 1.000
 75. Lejeusne, C., Saunier, A., Petit, N., Béguer, M., Otani, M., Carlton, J. T., ... & Green, A. J. (2014). High genetic diversity and absence of founder effects in a worldwide aquatic invader. *Scientific reports*, 4., @2014 [Линк](#) 1.000
 76. 9. Ortegón E. G., Ph. Sargent, G. Pohle and A. Martínez-Lage The Baltic prawn *Palaemon adspersus* Rathke, 1837 (Decapoda, Caridea, Palaemonidae): first record, possible establishment, and illustrated key of the subfamily Palaemoninae in northwest Atlantic waters *Aquatic Invasions* (2015) Volume 10 (in press) IF = 1.613 (2015), @2015 1.000
 77. Vinagre, C., Dias, M., Fonseca, C., Pinto, M. T., Cabral, H. N., & Silva, A. (2015). Use of rocky intertidal pools by shrimp species in a temperate area. *Biologia*, 70(3), 372-379., @2015 [Линк](#) 1.000
 78. Узунова С. 2016 Определител на Decapoda (Crustacea) от българския сектор на Черно море, @2016 [Линк](#) 1.000
 79. Spiridonov, V. A., & Zalota, A. K. (2017). Understanding and forecasting dispersal of non-indigenous marine decapods (Crustacea: Decapoda) in East European and North Asian waters. *Journal of the Marine Biological Association of the United Kingdom*, 97(3), 591-611., @2017 [Линк](#) 1.000

80. Kulish, A. V., and D. M. Levintsova. "Decapods (Decapoda Latrelle, 1802) of the Kerch Strait (Azov Sea) area: 1.000 a retrospective study and modern composition." (2019)., @2019 [Линк](#)
81. Mitov, Plamen G. "Eurypanopeus depressus (Smith, 1869)(Brachyura: Panopeidae)–a New Alien Species for 1.000 the Bulgarian Black Sea Coast." ACTA ZOOLOGICA BULGARICA 71.2 (2019): 253-266., @2019 [Линк](#)
82. Timofeev, V. A., U. V. Simakova, and V. A. Spiridonov. "The First Finding of the Oriental Shrimp Palaemon 1.000 macrodactylus Rathbun, 1902 (Crustacea: Decapoda, Palaemonidae) in the Territorial Waters of Russia in the Azov–Black Sea Basin." Russian Journal of Biological Invasions 10.2 (2019): 192-198., @2019 [Линк](#)
15. M, Yankova, V, Raykov, Maximov V, Radu G, Zaharia T. A review of length-weight relationships of some most important fishes from the Bulgarian Black Sea coast. Cercetări Marine Journal, 39: 1-8, 39, 2010, 1-8

Цитира се в:

83. Taner YILDIZI, Mustafa ZENGİN, Uğur UZER, İlkey Özcan AKPINAR and F. Saadet KARAKULAK, 2018. 1.000 Length-weight relationships for 24 fish species collected from the western Black Sea (Turkey). Cahiers de Biologie Marine 59(2), 159-165., @2018

2011

16. Maximov, V., Raykov, Violin, Yankova, Maria, Zaharia T.. Whiting (Merlangius merlangius euxinus) population parameters on the Romanian and Bulgarian littoral between 2000-2008. Journal of Environmental Protection and Ecology, 12, 2011, 1608-1618. JCR-IF (Web of Science):0.102

Цитира се в:

84. Mazlum R., Bilgin S. Age, growth, reproduction and diet of the whiting, Merlangius merlangus euxinus 1.000 (Nordmann, 1840), in the southeastern Black Sea. Cahiers de Biologie Marine, 55, 2014, 463-474., @2014
85. Kasapoglu N., Duzgunes E., 2015. Otolith atlas for the Black sea. Journal of Environmental Protection and Ecology 16, No 1, 133–144., @2015
17. Yankova, Maria, Raykov, Violin, Ivanova, Petya, Mgeladze, M., Diasamidze, R., Radu, Gh., Nicolaev, S., Agapov, St., Grinchenko, M., Ozturk, B., Oral, M., Bat, L., Shlyakhov, Vl., Boltachev, Al., Karpova, E.. Black Sea Fishes List. Black Sea Commission Publication, 2011

Цитира се в:

86. Esther Divovich, Boris Jovanović, Kyrstn Zylich, Sarah Harper, Dirk Zeller and Daniel Pauly, 2015. Caviar and 1.000 politics: A reconstruction of Russia's marine fisheries in the Black sea and sea of Azov from 1950 to 2010 Fisheries Centre The University of British Columbia, @2015
87. П. В. Шекк 2015. Ихтиофауна водоемов національного природного парка «Тузловские лиманы» и ее 1.000 рыбохозяйственное использование биоресурси та екологія водойм УДК 597.2.5(477)(035) ISSN 2075-1508 Рибгосподарська наука України, №2/2015, 5-19., @2015
88. Irina V. Vdodovich, Antonina N. Khanaychenko, Vitaly E. Giragosov. Feeding of 0-Group Mugilidae Juveniles in 1.000 the Coastal and Open Waters of the Black Sea near Sevastopol and the Alien Copepod Oithona davisae as

Their Diet Component. Journal of Siberian Federal University. Biology 2017 10(1): 106-113, УДК 597.556.333.7:591.13 (262.5)., @2017

18. Radu, G., Anton, E. ,, Golumbeanu, M., Raykov, Violin, Yankova, Maria, Panayotova, M., Shlyahov, V., Zengin, M.. State of the main Black Sea commercial fish species correlated with the ecological conditions and fishing effort. Journal of Environmental Protection and Ecology, 12, 2, 2011, ISSN:1311-5065, 549-557. ISI IF:0.102

Цитира се е:

89. Bradai M.N., Saidi B. and Enajjar S, 2012. Elasmobranchs of the Mediterranean and Black sea: status, ecology 1.000 and biology. Bibliographic analysis. Studies and Reviews. GFCM., No. 91.Rome, FAO. 2012. 103 pp., @2012
90. Cristea M., Coprean, D. Maximov.V, Tiganov.G, 2012. Qualitative composition of ichthyoplankton from the 1.000 Romanian Black Sea Natura 2000. International Conference Proceedings, "Sustainable landscape planning and safe environment 21-24 June 2012, 407-412, - ISBN: 978-975-561-421-2, @2012
91. Tiganov G., Maximov. V. 2012. Quantitative and qualitative composition of the ichthyofaunal in the Natura 2000 1.000 Romanian marine sites 2000 International Conference Proceedings, "Sustainable landscape planning and safe environment 21-24 June 2012., 491-499, ISBN: 978-975-561-421-2., @2012
92. Esther Divovich, Boris Jovanović, Kyrstn Zylich, Sarah Harper, Dirk Zeller , Daniel Pauly, 2015. Caviar and 1.000 politics: A reconstruction of Russia's marine fisheries in the Black sea and sea of Azov from 1950 to 2010 Fisheries Centre The University of British Columbia., @2015
93. Galatchi M, Rosioru, D, Nenciu, M, Zaharia T, Coprean, D. Aspects of Romanian Black Sea coast anchovy 1.000 (*Engraulis encrasicolus*, linnaeus, 1758) biology during 2013 – 2014. International Multidisciplinary Scientific GeoConference Surveying Geology and Mining Ecology Management, SGEM Volume 2, Issue 3, 2015, Pages 603-610., @2015
94. Zaharia, T. , Moga, L.M. , Nenciu, M.I. Maximov, V. , Tiganov, G. 2015. Adoption of traceability systems by 1.000 Romanian fishery and aquaculture influencing factors and benefits. Unitatea Executiva pentru Finantarea Invatamantului Superior, a Cercetarii, Dezvoltarii si Inovarii Volume 16, Issue 148, 1 October 2015, Pages 80-82. ISSN: 15822559., @2015
95. Alicia Sánchez-Cabanes, Maja Nimak-Wood, Nicola Harris, Renaud de Stephanis, 2017. Habitat preferences 1.000 among three top predators inhabiting a degraded ecosystem, the Black Sea Scientia Marina 81(2), ISSN-L: 0214-8358. doi: <http://dx.doi.org/10.3989/scimar.04493.07A.>, @2017
96. GALAȚCHI M., NENCIU M., COSTACHE M., MAXIMOV V., COPREAN D. AGE DETERMINATION ASPECTS 1.000 IN ANCHOVY (*Engraulis encrasicolus*, LINNAEUS, 1758) AT THE ROMANIAN BLACK SEA COAST. Academy of Romanian Scientists Annals Series on Biological Sciences, Vol. 6 , No. 1 , (2017), pp. 75-81, ISSN 2285 – 4177., @2017
97. Yıldız T, Karakulak FS, 2017. Discards in bottom-trawl fishery in the western Black Sea (Turkey). J Appl 1.000 Ichthyol. 2017; 00:1–10. <https://doi.org/10.1111/jai.13362.>, @2017
98. Nicolae C.G., Nenciu M.I., Maximov V., Popa D., Marin M., Ivancia M. (2018). Conservation Status of the Fish 1.000 Fauna in the Danube Delta Marine Zone. In: Finkl C., Makowski C. (eds) Diversity in Coastal Marine Sciences. Coastal Research Library, vol 23. Springer, Cham, pp 443-472, DOI https://doi.org/10.1007/978-3-319-57577-3_26, @2018 [Линк](#)
99. Pantazi, M., 2018. Metals bioaccumulation in important marine species of the Bulgarian Black Sea and 1.000 screening-level human health and ecological risk assessment West Texas A&M University Canyon, Texas.,

@2018 [Линк](#)

19. Yankova, Maria, Pavlov, D., Raykov, Violin, Minheva, V., Radu, G.. Length-weight relationships of ten fish species from the Bulgarian Black Sea waters. Turkish Journal of Zoology, 35, 2, 2011, 265-270. JCR-IF (Web of Science):0.63

Цитира се в:

100. Aktar N (2012). Length-length and length-weight relationships of elongate glass perchlet, Chanda Nama 1.000 (Hamilton, 1822) in the River Old Brahmaputra, Bangladesh Master of Science (M.S.) in Fisheries management, Department of Fisheries management Bangladesh Agricultural University Mymensingh Examination Roll No: 11 Fish M JJ 27 M Semester: January-June, 2012 Registration No: 38093 Session: 2011-2012., @2012
101. Višnjić-Jeftić, Željka V., 2012. Ekološka i toksikološka istraživanja stromorske haringe (Alosa immaculata 1.000 Bennett, 1835) u Dunavu u Srbiji. PhD, Универзитет у Београду, Биолошки факултет, @2012
102. D. Rozdina, G. Raikova-Petrova and P. Mirtcheva age composition and growth rate of the spawning part of the population of pontic shad Alosa immaculata (Bennett, 1835) in the Bulgarian sector of Danube river. Bulgarian Journal of Agricultural Science, 19 (Supplement 1) 2013, 118–125 Agricultural Academy. Science, 19 (Supplement 1) 2013, 118–125, @2013
103. Kasapoglu, N., Duzgunes, E. 2013. Length-weight relationships of marine species caught by five gears from the 1.000 Black Sea. Mediterranean Marine Science, 15/1, 95-100., @2013 [Линк](#)
104. Ozdemir S, Duyar HA (2013). Length-Weight Relationships for Ten Fish Species Collected by Trawl Surveys 1.000 from Black Sea Coast, Turkey. International Journal of Chemical, Environmental & Biological Sciences (IJCEBS) Volume 1, Issue 2 ISSN 2320 –4087 (Online)., @2013
105. Hasan Huseyin Satilmis, Cetim Sumer, Suleyman Ozdemir, Baris Bayrakli 2014. Length-weight relationships of 1.000 the three most abundant pelagic fish species caught by mid-water trawls and purse seine in the Black Sea. Cahiers de Biologie Marine 55(2):259-265., @2014
106. Özdemir, S., Erdem, E., Özdemir, Z.B., Aksu, H. Monthly monitoring of length-weight relationships of allis shad 1.000 (Alosa immaculata Bennett, 1835), horse mackerel (Trachurus mediterraneus Steindachner, 1868) and sprat Sprattus sprattus Linnaeus, 1758) from the Southern Black Sea, Turkey, 2014, Cahiers de Biologie Marine, 56(1), pp. 25-30, @2014
107. Özvarol, Y. 2014 Length-weight relationships of 14 fish species from the Gulf of Antalya (northeastern 1.000 Mediterranean Sea, Turkey). Turkish Journal of Zoology 2014, Vol. 38 Issue 3, p. 342., @2014
108. COSTA FILHO, J.; MELLO, G. L. de. Crescimento alométrico positivo entre características biométricas de 1.000 juvenis de robalo-flecha (Centropomus undecimalis Bloch, 1972) cultivados. Arq. Ciênc. Vet. Zool. UNIPAR, Umuarama, v. 18, n. 1, p. 21-26, jan./mar. 2015., @2015
109. Suleyman Ozdemir, Ercan Erdem, Zekiye Birinci Ozdemir, Hakan Aksu . Monthly monitoring of length-weight 1.000 relationships of allis shad (Alosa immaculata Bennett, 1835), horse mackerel (Trachurus mediterraneus Steindachner, 1868) and sprat (Sprattus sprattus Linnaeus, 1758) from the Southern Black Sea, Turkey. Cahiers de Biologie Marine Cahiers de Biologie Marine 56(1):25-30 · January 2015 , @2015
110. Tserkova F., Petrova D. 2015. Population parameters of the spiny dogfish (Squalus acanthias L.) from 1.000 Bulgarian Black Sea Coast in 2014. Proceedings of the Twelfth International Conference on the Mediterranean Coastal Environment MEDCOAST 2015, 06-10 October 2015, Varna, Bulgaria, E. Ozhan(Editor)., @2015

111. Tuncay Yeşilçiçek, Ferhat Kalaycı, Cemalettin Şahin 2015. Length-Weight Relationships of 10 Fish Species from the Southern Black Sea, Turkey. Journal of Fisheries Sciences.com www.fisheriessciences.com, @2015 1.000
112. Gülçin Ulunehir Aydın 2017. An investigation on biological aspects of *Trachurus trachurus* (Linnaeus, 1758) and *Trachurus mediterraneus* (Steindachner, 1868) populations living in the Gulf of Edremit at Northern Aegean Sea. PH.D Thesis BALIKESIR UNIVERSITY INSTITUTE OF SCIENCE BIOLOGY., @2017 1.000
113. İsmet Balik 2017. Effect of Depth on Size Distribution of Pontic Shad, *Alosa immaculata*, in Fatsa (Ordu) Coasts of Black Sea. The Black Sea Journal of Sciences ISSN (Online): 2564-7377 7(1), 29-40., @2017 1.000
114. Osman Samsun, Okan Akyol 2017. Length-weight Relationship, Fulton's Condition Factor and Meat Yield of Atlantic Bonito, *Sarda sarda* (Bloch, 1793) in the Central Black Sea. Turkish Journal of Maritime and Marine Sciences. Volume: 3 Issue: 1 (2017) 42-48., @2017 1.000
115. Osman SAMSUN, Okan AKYOL, 2017. Length-weight Relationship, Fulton's Condition Factor and Meat Yield of Atlantic Bonito, *Sarda sarda* (Bloch, 1793) in the Central Black Sea. Turkish Journal of Maritime and Marine Sciences Volume: 3 Issue: 1 (2017) 42-48., @2017 1.000
116. S. Macun, 2017. The Growth and Reproduction Characteristics of *Neogobius melanostomus* Populations in its Native Habitat of Lake Karaboğaz (Black Sea, Turkey) . Hacettepe J. Biol. & Chem., 2017, 45 (4), 617-628, @2017 1.000
117. Samsun, O., Akyol, O., Ceyhan, T. & Erdem, Y. (2017). Length-weight relationships for 11 fish species from the central black sea, Turkey. Ege Journal of Fisheries and Aquatic Sciences, 34(4):455-458. doi: 10.12714/egejfas.2017.34.4.13, @2017 1.000
118. Serap CALIK and Naciye ERDOĞAN SAĞLAM, 2017. Length-weight relationships of demersal fish species caught by bottom trawl from Eastern Black Sea (Turkey) Cah. Biol. Mar. (2017) 58 : 485-490. DOI: 10.21411/CBM.A.AA0D91E6, @2017 1.000
119. Bilgin, S., Bilgin, Ö. "Growth, reproduction and chemical composition of whiting, *Merlangius merlangus euxinus* (Nordman, 1840), in the Black Sea". Ege Journal of Fisheries and Aquatic Sciences, 35(4), 483-496. DOI:10.12714/egejfas.2018.35.4.15, 2018, @2018 1.000
120. Kasapoğlu, N. (2018). Age, Growth, and Mortality of Exploited Stocks: Anchovy, Sprat, Mediterranean Horse Mackerel, Whiting, and Red Mullet in the Southeastern Black Sea. Aquatic Sciences and Engineering, 33(2): 39-49., @2018 1.000
121. Özekinci, U., Acarlı, D." Length-weight relationship of *Eriphia verrucosa* (Forskål, 1775) (warty crab) in Çanakkale Strait". Ege Journal of Fisheries and Aquatic Sciences, 35(4), 475-481. DOI:10.12714/egejfas.2018.35.4.1, 2018, @2018 1.000
122. Sabri Bilgin and Ozay Kose. "Length-Weight Relationships (LWRs) of target fish turbot, *Scophthalmus maximus* (Pleuronectiformes: Scophthalmidae) and non-target fish thornback ray, *Raja clavata* (Rajiformes: Rajidae) caught by turbot gill net fishery in the Black Sea Turkey". Cah. Biol. Mar. (2018) 59 : 615-622 DOI: 10.21411/CBM.A.546928E7., 2018, @2018 1.000
123. Samsun, O., Okan, A., Tevfik, C." Mortalities and Exploitation Rate of Mediterranean Horse Mackerel, *Trachurus mediterraneus* (Steindachner, 1868) in the Central Black Sea" Turkish Journal of Maritime and Marine Sciences Volume: 4 Issue: 2 (2018) 139-145, 2018, @2018 1.000
124. Süleyman Özdemir, Yakup Erdem, Zekiye Birinci Özdemir, Ercan Erdem, Hakan Aksu "Estimation of growth parameters and mortality rates of sprat (*Sprattus sprattus* L.) and anchovy (*Engraulis encrasicolus*, L.) captured in the Black Sea". Turkish Journal of Maritime and Marine Sciences Volume: 4 Issue: 2, 106-115, 2018., 1.000

@2018

125. Taner YILDIZ, Mustafa ZENGİN, Uğur UZER, İlkey Özcan AKPINAR and F. Saadet KARAKULAK, 2018. 1.000 Length-weight relationships for 24 fish species collected from the western Black Sea (Turkey). Cahiers de Biologie Marine 59(2), 159-165, DOI: 10.21411/CBM.A.39436D05, @2018
126. Ayşe Van, Aysun Gümüş, Serdar Süer . " Length-Weight Relationships and "Condition Factors of 15 Fish 1.000 Species from Kizilirmak-Yesilirmak Shelf Area, the Southeastern Black Sea"". NESciences, 4(1): 21-27, 2019, , @2019
127. Balık, İ . "Population parameters of the pontic shad, Alosa immaculata Bennett, 1835 in the Fatsa coast of the 1.000 south-eastern Black Sea". Ege Journal of Fisheries and Aquatic Sciences , 36 (4) , 1-1 , 2019, @2019
128. Mazlum, R.E.Email Author, Akgumus, S. Stomach content analysis and length-weight relationship of the pontic 1.000 shad alosa immaculata bennett, 1835 (Pisces: Clupeidae), from the eastern black sea coast of Turkey.Indian Journal of Fisheries Volume 66, Issue 4, 2019, Pages 39-45, @2019
129. Chesalin, M., Nikolsky, V., Yuneva, T. Biological characteristics of Azov anchovy (Engraulis encrasicolus 1.000 maoticus A.) in 2016-2017 and 2017-2018 fishing seasons (2020) Turkish Journal of Fisheries and Aquatic Sciences, 20 (7), pp. 559-570., @2020 [Линк](#)
20. Daskalov, G., Cardinale, M. ,, Gümüş,A., Zengin, M., Panayotova, Marina, Duzgunes, E., Shlyakhov, V., Genç, Y., Radu, G., Yankova, Maria, Maximov, V., Mikhaylyuk, A., Raykov, Violin, Rätz, H.. Scientific, Technical and Economic Committee for Fisheries (STECF) - Assessment of Black Sea Stocks(STECF 11-06). EC, 2011, ISSN:1831-9424

Цумура се в:

130. Bradai M.N., Saidi B. and Enajjar S, 2012. Elasmobranchs of the Mediterranean and Black sea: status, ecology 1.000 and biology. Bibliographic analysis. Studies and Reviews. General Fisheries Commission for the Mediterranean, No. 91, Rome, FAO, 2012, 103 pp., @2012 [Линк](#)
131. Giragosov V., A.a Khanaychenko, 2012. The State-of-Art of the Black Sea Turbot Spawning Population off 1.000 Crimea (1998-2010). Turkish Journal of Fisheries and Aquatic Sciences 12: 377-383 (2012), DOI: 10.4194/1303-2712-v12_2_25., @2012 [Линк](#)
132. Tserkova F., 2013. Growth parameters of the Black Sea sprat (Sprattus sprattus L.) during the period 1.000 November 2010 – March 2012 along the Bulgarian Black Sea coast. Bulgarian Journal of Agricultural Science, Agricultural Academy, vol. 19 (Supplement 1), 2013, 109–113 pp., @2013 [Линк](#)
133. Tserkova F., Georgieva – Klisarova D., 2013. Some biological parameters of sprat (Sprattus sprattus l.) on the 1.000 Bulgarian Black Sea coast in 2012. Proceedings of Union of Scientists –Varna, "Marine Sciences" Series, pp.39-44, @2013 [Линк](#)
134. Зуев Г. В., Бондарев В. А., 2013. Размерно-возрастная структура популяции черноморского шпрота 1.000 Sprattus sprattus phalericus (Risso) у побережья Крыма. Современные рыбохозяйственные и экологические проблемы Азово-Черноморского региона. Материалы VIII Международной конференции. Керчь, ЮгНИРО, 26-27 июня 2013 г, @2013 [Линк](#)
135. Goulding, Ian C., Kim A. Stobberup, and Tim O'Higgins, 2014. Potential Economic Impacts of Achieving Good 1.000 Environmental Status in Black Sea Fisheries. Ecology and Society, 19, no. 3 (2014). Doi:10.5751/ES-06817-190332., @2014 [Линк](#)

136. Esther Divovich, Boris Jovanović, Kyrstn Zylich, Sarah Harper, Dirk Zeller, Daniel Pauly, 2015. Caviar and politics: A reconstruction of Russia's marine fisheries in the Black sea and sea of Azov from 1950 to 2010 Fisheries Centre The University of British Columbia., @2015 1.000
137. Yıldız T, Karakulak FS, 2017. Discards in bottom-trawl fishery in the western Black Sea (Turkey). J Appl Ichthyol. 2017; 00:1–10. <https://doi.org/10.1111/jai.13362>, @2017 [Линк](#) 1.000
21. Raykov V, Velikova V, Lisichkov K, Kuvendzhev S. Review of main fisheries indicators in the Black Sea by using diagnostic analysis.. Natura Montenegriana, 10, 3, Podgorica, Museum of Natural Sciences, 2011, ISSN:ISSN 1800-7155, DOI:575.22:635.64(045)=111, 309-312

Цумура се е:

138. 1. Öztürk B. Illegal, Unreported and Unregulated (IUU) Fishing Problems in the Turkish Part of the Black Sea (Eds. Duzgunesh E, Ozturk B., M. Zengin), 2014, 200-211, TUDAV publ. 40., @2014 1.000
139. Öztürk B. Ature and extent of the illegal, unreported and unregulated (IUU) fishing in the Black Sea Joint GFCM BSC Workshop on IUU Fishing in the Black Sea Istanbul, Turkey, 25-27 February 2013, 2014, 24 p. (<http://151.1.154.86/GfcmWebSite/GFCM-BSC/2013/IUU%20BackgroundPaper-rev.pdf>), @2014 1.000
140. 2. Divovich Esther, Boris Jovanović, Kyrstn Zylich, Sarah Harper, Dirk Zeller and Daniel Pauly 2015 Caviar and politics: A reconstruction of Russia's marine fisheries in the Black Sea and Sea of Azov from 1950 to 2010 (2015). Fisheries Centre.Univ.Br.Col.WP 84, 1-24., @2015 1.000

2012

22. Panayotova, M., Raykov, V., Ivanova, P., Dobrovolov, I.S.. Landings, distribution, size structure and genetics of Pontic shad (*Alosa immaculata* BENNETT, 1835) in the Bulgarian Black Sea area. Journal of Environmental Protection and Ecology, 13, 3A, 2012, ISSN:1311-5065, 1856-1864. ISI IF:0.259

Цумура се е:

141. Zervoudaki, S, Orek, H; Krasakopoulou, E; Assimakopoulou, G; Fach-Salihoglu, B; Papathanassiou, E , 2014. Food web structure in the aegean sea and the Turkish straits system and understanding the role of the ocean acidification as important driver of change in biological systems. Journal Of Environmental Protection And Ecology, vol.15 (4), 1641-1649., @2014 1.000
142. Ibănescu D.C., Popescu A., Nica A., 2016. Estimation of growth and mortality parameters of the Pontic shad (*alosa immaculata* BENNETT, 1835) in Romanian section of the Danube river. *Lucrări Științifice-Seria Zootehnie*, 2016, pp. 285 - 289, @2016 [Линк](#) 1.000
23. Yankova, Maria, Raykov, Violin. Growth, Mortality and Yield per Recruit of Horse Mackerel (*Trachurus mediterraneus*) from the Bulgarian Black Sea Waters. Journal of Environmental Protection and Ecology, 13, 2012, ISSN:1311-5065, 1817-1824. JCR-IF (Web of Science):0.259

Цумура се е:

143. Kasapoglu N., Duzgunes E, 2015. Otolith atlas for the Black sea. Journal of Environmental Protection and Ecology 16, No 1, 133–144., @2015 1.000

144. M.K. Broadhurst, M. Kienzle, J. Stewart, 2017. Natural mortality of *Trachurus novaezelandiae* and their size selection by purse seines off south-eastern Australia. *Quantitative Biology. Populations and Evolution*, arXiv:1705.10001 [q-bio.PE]., @2017 1.000
145. Kasapoğlu, N. (2018). Age, Growth, and Mortality of Exploited Stocks: Anchovy, Sprat, Mediterranean Horse Mackerel, Whiting, and Red Mullet in the Southeastern Black Sea. *Aquatic Sciences and Engineering*, 33(2): 39-49., @2018 1.000
24. 1. Pérez-Domínguez, R., Maci, S., Courrat, A., Lepage, M., Borja, A., Uriarte, A., Neto, J.M., Cabral, H., Raykov, V.S., Franco, A., Alvarez, M.C., Elliott, M.. Current developments on fish-based indices to assess ecological-quality status o. *Ecological Indicators*, 23, ELSEVIER, 2012, ISSN:ISSN: 1470-160X, 34-45. SJR:1.267, ISI IF:3.444

Цитира се в:

146. Endrawati, H., & Irwani, I. (2012). Komposisi dan Kelimpahan Ichtyofauna di Perairan Morosari, Kecamatan Sayung, Kabupaten Demak. *BULETIN OSEANOGRAFI MARINA*, 1(5), 34-40., @2012 [Линк](#) 1.000
147. Robinson, C., & Yakimishyn, J. (2012). Eelgrass and fish assemblage properties as indicators of biotic integrity in the Clayoquot Sound Biosphere Reserve., @2012 [Линк](#) 1.000
148. Alvarez, M. C., Franco, A., Pérez-Domínguez, R., & Elliott, M. (2013). Sensitivity analysis to explore responsiveness and dynamic range of multi-metric fish-based indices for assessing the ecological status of estuaries and lagoons. *Hydrobiologia*, 704(1), 347-362., @2013 [Линк](#) 1.000
149. Ana Azevedo, Ana I. Sousa, João D. Lencart e Silva, João Miguel Dias, and Ana Isabel Lillebø (2013) Application of the generic DPSIR framework to seagrass communities of Ria de Aveiro: a better understanding of this coastal lagoon. *Journal of Coastal Research: Special Issue 65 - International Coastal Symposium Volume 1*: pp. 19 – 24., @2013 [Линк](#) 1.000
150. Borja, A., Elliott, M., Henriksen, P., & Marbà, N. (2013). Transitional and coastal waters ecological status assessment: advances and challenges resulting from implementing the European Water Framework Directive. *Hydrobiologia*, 704(1), 213-229., @2013 [Линк](#) 1.000
151. Harrison, T. D., & Kelly, F. L. (2013). Development of an estuarine multi-metric fish index and its application to Irish transitional waters. *Ecological indicators*, 34, 494-506., @2013 [Линк](#) 1.000
152. Pais, M. P., Henriques, S., Batista, M. I., Costa, M. J., & Cabral, H. (2013). Seeking functional homogeneity: A framework for definition and classification of fish assemblage types to support assessment tools on temperate reefs. *Ecological indicators*, 34, 231-245., @2013 [Линк](#) 1.000
153. Quartarella, E. (2013). Analisi del popolamento ittico della Laguna di Venezia: relazioni con le variabili e le pressioni ambientali., @2013 [Линк](#) 1.000
154. SAMEDY, V. (2013). SUIVI DES PEUPELEMENTS ICHTYOLOGIQUES EN MILIEU ESTUARIEEN PAR APPROCHE ACOUSTIQUE (Doctoral dissertation, Université de Bordeaux)., @2013 [Линк](#) 1.000
155. Samedy, V. (2013). Suivi des peuplements ichtyologiques en milieu estuarien par approche acoustique: application à l'estuaire de la Gironde (Doctoral dissertation, Université Sciences et Technologies-Bordeaux I)., @2013 [Линк](#) 1.000
156. Barnard, S., & Strong, J. (2014). JNCC Report No: 536., @2014 [Линк](#) 1.000

157. Christensen-Dalsgaard, K. K., Sinnatamby, R. N., & Poesch, M. (2014). Metrics for Assessing Fisheries Productivity and Offsetting Strategies under Canada's New Fisheries Act., @2014 [Линк](#) 1.000
158. de Kerckhove, D. T. (2014). Promising indicators of fisheries productivity for the Fisheries Protection Program Assessment Framework. Can. Sci. Advis. Secr. Res. Doc, 108, 69., @2014 [Линк](#) 1.000
159. Fortes, W. L., Almeida-Silva, P. H., Prestrelo, L., & Monteiro-Neto, C. (2014). Patterns of fish and crustacean community structure in a coastal lagoon system, Rio de Janeiro, Brazil. Marine Biology Research, 10(2), 111-122., @2014 [Линк](#) 1.000
160. Guillemot, N., Chabanet, P., Kulbicki, M., Vigliola, L., Léopold, M., Jollit, I., & Le Pape, O. (2014). Effects of fishing on fish assemblages in a coral reef ecosystem: from functional response to potential indicators. Ecological Indicators, 43, 227-235., @2014 [Линк](#) 1.000
161. Prato, S., La Valle, P., De Luca, E., Lattanzi, L., Migliore, G., Morgana, J. G., ... & Mistri, M. (2014). The "one-out, all-out" principle entails the risk of imposing unnecessary restoration costs: a study case in two Mediterranean coastal lakes. Marine pollution bulletin, 80(1), 30-40., @2014 [Линк](#) 1.000
162. Tweedley, J. R., Keleher, J., Cottingham, A., Beatty, S. J., & Lymbery, A. J. (2014). The fish fauna of the Vasse-Wonnerup and the impact of a substantial fish kill event. Report for Geocatch. Murdoch University, Perth, Western Australia, 113., @2014 [Линк](#) 1.000
163. Smoliński, S., & Calkiewicz, J. (2015). A fish-based index for assessing the ecological status of Polish transitional and coastal waters. Marine Pollution Bulletin. IF = 2.991 In press (<http://www.sciencedirect.com/science/article/pii/S0025326X15301375>), @2015 1.000
164. De Kerckhove, Derrick T. 2015 Promising Indicators of Fisheries Productivity for the Fisheries Protection Program Assessment Framework. DFO Can. Sci. Advis. Sec. Res. Doc. 2014/108. vi + 69 p. ISSN 1919-5044., @2015 1.000
165. Hallett, C. S., Valesini, F. J., Clarke, K. R., & Hoeksema, S. D. Effects of a harmful algal bloom on the community ecology, movements and spatial distributions of fishes in a microtidal estuary. Hydrobiologia, 1-18. IF = 2.275 (2015), @2015 1.000
166. Haro M.M, Beiras, R. J. Bellas, Capela R. Coelho, J. P. Lopes, I. M.M. Santosa, Henriques, A. M. R., Ribeiro, R. M. M.Santos, J. C. Marquesa A review on the ecological quality status assessment in aquatic systems using community based indicators and ecotoxicological tools: what might be the added value of their combination? Ecological Indicators Volume 48, January 2015, Pages 8–16 doi:10.1016/j.ecolind.2014.07.024 IF = 3.230 (2015), @2015 1.000
167. Maire, A., Logez, M., & Argillier, C. (2015). CALCUL DES INCERTITUDES LIÉES À L'UTILISATION DE L'INDICE ICHTYOFAUNE LACUSTRE (IIL)., @2015 [Линк](#) 1.000
168. Martinez-Haro, M., Beiras, R., Bellas, J., Capela, R., Coelho, J. P., Lopes, I., ... & Marques, J. C. (2015). A review on the ecological quality status assessment in aquatic systems using community based indicators and ecotoxicological tools: what might be the added value of their combination?. Ecological Indicators, 48, 8-16., @2015 [Линк](#) 1.000
169. Martinho, F., Nyitrai, D., Crespo, D., & Pardal, M. A. (2015). Efficacy of single and multi-metric fish-based indices in tracking anthropogenic pressures in estuaries: An 8-year case study. Marine pollution bulletin, 101(1), 153-162., @2015 [Линк](#) 1.000
170. Martinho, F., Nyitrai, D., Crespo, D., & Pardal, M. A. (2015). Efficacy of single and multi-metric fish-based indices in tracking anthropogenic pressures in estuaries: An 8-year case study. Marine Pollution Bulletin.in 1.000

press IF = 2.991 (<http://www.sciencedirect.com/science/article/pii/S0025326X15301545>), @2015

171. Moreno Valcárcel, R. (2015). La comunidad de peces en la Marisma del Espacio Natural de Doñana: 1.000 composición, dinámica y efectos de la restricción mareal., @2015 [Линк](#)
172. Porter, A. G., & Scanes, P. R. (2015). Scavenging Rate Ecoassay: A Potential Indicator of Estuary Condition. 1.000 PloS one, 10(5), e0127046., @2015 [Линк](#)
173. Porter, A. G., & Scanes, P. R. (2015). Scavenging Rate Ecoassay: A Potential Indicator of Estuary Condition. 1.000 PloS one, 10(5), e0127046., @2015 [Линк](#)
174. Potter, I. C., Warwick, R. M., Hall, N. G., & Tweedley, J. R. (2015). The physico-chemical characteristics, biota 1.000 and fisheries of estuaries. Freshwater Fisheries Ecology, 48-79., @2015 [Линк](#)
175. Potter, I. C., Warwick, R. M., Hall, N. G., & Tweedley, J. R. (2015). The physico-chemical characteristics, biota 1.000 and fisheries of estuaries. Freshwater Fisheries Ecology, 48-79. DOI: 10.1002/9781118394380.ch5, @2015
176. Smoliński, S., & Calkiewicz, J. (2015). A fish-based index for assessing the ecological status of Polish 1.000 transitional and coastal waters. Marine pollution bulletin, 101(2), 497-506., @2015 [Линк](#)
177. Tziritis, E., Panagopoulos, A., & Arampatzis, G. (2014). Development of an operational index of water quality 1.000 (PoS) as a versatile tool to assist groundwater resources management and strategic planning. Journal of Hydrology, 517, 339-350., @2015 [Линк](#)
178. Clarke-Wood, B. K., Jenkins, K. M., Law, B. S., & Blakey, R. V. (2016). The ecological response of 1.000 insectivorous bats to coastal lagoon degradation. Biological Conservation, 202, 10-19., @2016 [Линк](#)
179. García-Seoane, E., Coelho, J. P., Mieiо, C., Dolbeth, M., Ereira, T., Rebelo, J. E., & Pereira, E. (2016). Effect 1.000 of historical contamination in the fish community structure of a recovering temperate coastal lagoon. Marine Pollution Bulletin, 111(1), 221-230., @2016 [Линк](#)
180. Hallett, C. S., Valesini, F., & Elliott, M. (2016). A review of Australian approaches for monitoring, assessing and 1.000 reporting estuarine condition: I. International context and evaluation criteria. Environmental Science & Policy, 66, 260-269., @2016
181. Ostman, O., Lingman, A., Bergstrom, L., & Olsson, J. (2016). Temporal development and spatial scale of 1.000 coastal fish indicators in reference ecosystems: hydroclimate and anthropogenic drivers., @2016 [Линк](#)
182. Östman, Ö., Lingman, A., Bergström, L., & Olsson, J. (2016). Temporal development and spatial scale of 1.000 coastal fish indicators in reference sites in coastal ecosystems: hydro-climate and anthropogenic drivers. Journal of Applied Ecology., @2016 [Линк](#)
183. Östman, Ö., Lingman, A., Bergström, L., & Olsson, J. (2016). Temporal development and spatial scale of 1.000 coastal fish indicators in reference sites in coastal ecosystems: hydro-climate and anthropogenic drivers. Journal of Applied Ecology., @2016 [Линк](#)
184. Teichert, N., Borja, A., Chust, G., Uriarte, A., & Lepage, M. (2016). Restoring fish ecological quality in estuaries: 1.000 implication of interactive and cumulative effects among anthropogenic stressors. Science of The Total Environment, 542, 383-393., @2016 [Линк](#)
185. Zhou, D., Sun, Z., Huang, Y., Huang, S., & Li, L. (2016). Concept and evaluation of bay health: the role of 1.000 numerical model in the Yueqing Bay, China. Acta Oceanologica Sinica, 35(8), 3-15., @2016 [Линк](#)

186. Zucchetto, M., Scapin, L., Cavarro, F., Pranovi, F., Franco, A., & Franzoi, P. (2016). Can the Effects of 1.000 Anthropogenic Pressures and Environmental Variability on Nekton Fauna Be Detected in Fishery Data? Insights from the Monitoring of the Artisanal Fishery Within the Venice Lagoon. *Estuaries and Coasts*, 1-19., @2016 [Линк](#)
187. A MURASE, Y MIYAZAKI, M MOTEKI, H KOHNO Decadal changes in the fish assemblage structure at a 1.000 modified shore site in an urbanised estuarine canal *La mer* 55 : 37-51, 2017 Société franco-japonaise d'océanographie, Tokyo, @2017 [Линк](#)
188. Clarke-Wood, B. K., Jenkins, K. M., Law, B. S., & Blakey, R. V. (2016). The ecological response of 1.000 insectivorous bats to coastal lagoon degradation. *Biological Conservation*, 202, 10-19., @2017 [Линк](#)
189. Living under stressful conditions: Fish life history strategies across environmental gradients in estuaries, 1.000 @2017 [Линк](#)
190. Milano, Marianne, Nathalie Chèvre, and Emmanuel Reynard. "Assessing watercourse quality: challenges in 1.000 implementing European and Swiss legal frameworks." *Environmental Science and Pollution Research* (2017): 1-19., @2017 [Линк](#)
191. Örjan Östman, Anna Lingman, Lena Bergström, Jens Olsson, Julia Blanchard Temporal development and 1.000 spatial scale of coastal fish indicators in reference ecosystems: hydroclimate and anthropogenic drivers *Journal of Applied Ecology* 54 (2), 557 - 566, @2017 [Линк](#)
192. Prado, P., Alcaraz, C., Jornet, L., Caiola, N., & Ibáñez, C. (2017). Effects of enhanced hydrological connectivity 1.000 on Mediterranean salt marsh fish assemblages with emphasis on the endangered Spanish toothcarp (*Aphanius iberus*). *PeerJ*, 5, e3009., @2017 [Линк](#)
193. Rose, K. A., Creekmore, S., & Sable, S. (2017). Simulation of the Population-Level Responses of Fish to 1.000 Hypoxia: Should We Expect Sampling to Detect Responses?. In *Modeling Coastal Hypoxia* (pp. 359-376). Springer International Publishing., @2017 [Линк](#)
194. Rose, K. A., Creekmore, S., & Sable, S. (2017). Simulation of the Population-Level Responses of Fish to 1.000 Hypoxia: Should We Expect Sampling to Detect Responses?. In *Modeling Coastal Hypoxia* (pp. 359-376). Springer International Publishing., @2017 [Линк](#)
195. Sonyenzellnd, N., Mustahal, M., & Haryati, S. (2015). Effect of Prebiotic in Commercial Feed on the Growth of 1.000 Catfish (*Pangasius sp.*). *Jurnal Perikanan dan Kelautan*, 5(2)., @2017 [Линк](#)
196. Tweedley, J. R., Warwick, R. M., Hallett, C. S., & Potter, I. C. (2017). Fish-based indicators of estuarine 1.000 condition that do not require reference data. *Estuarine, Coastal and Shelf Science*, 191, 209-220., @2017 [Линк](#)
197. Valesini, F. J., Cottingham, A., Hallett, C. S., & Clarke, K. R. (2017). Interdecadal changes in the community, 1.000 population and individual levels of the fish fauna of an extensively modified estuary. *Journal of Fish Biology*, 90(5), 1734-1767., @2017 [Линк](#)
198. Zhang, H., & Zimba, P. V. (2017). Analyzing the effects of estuarine freshwater fluxes on fish abundance using 1.000 artificial neural network ensembles. *Ecological Modelling*, 359, 103-116., @2017 [Линк](#)
199. Diaf, Assia, et al. "Structure of the ichthyological stands in the Gulf of Annaba, Algerian east coast." 1.000 *Aquaculture, Aquarium, Conservation & Legislation* 11.3 (2018): 709-723., @2018 [Линк](#)
200. Kara, Mohamed Hichem, and Jean-Pierre Quignard. *Fishes in Lagoons and Estuaries in the Mediterranean*: 1.000

- Diversity, Bioecology and Exploitation. John Wiley & Sons, 2018., @2018 [Линк](#)
201. Milano, Marianne, Nathalie Chèvre, and Emmanuel Reynard. "Assessing watercourse quality: challenges in implementing European and Swiss legal frameworks." *Environmental Science and Pollution Research* 25.1 (2018): 805-823., @2018 [Линк](#) 1.000
 202. Milano, Marianne, Nathalie Chèvre, and Emmanuel Reynard. "Assessing watercourse quality: challenges in implementing European and Swiss legal frameworks." *Environmental Science and Pollution Research* 25.1 (2018): 805-823., @2018 [Линк](#) 1.000
 203. Pawlowski, J., Kelly-Quinn, M., Altermatt, F., Apothéloz-Perret-Gentil, L., Beja, P., Boggero, A., ... & Feio, M. J. (2018). The future of biotic indices in the ecogenomic era: Integrating (e) DNA metabarcoding in biological assessment of aquatic ecosystems. *Science of The Total Environment*, 637, 1295-1310., @2018 [Линк](#) 1.000
 204. Pérez-Ruzafa, Angel, María Pérez-Marcos, and Concepción Marcos. "From fish physiology to ecosystems management: Keys for moving through biological levels of organization in detecting environmental changes and anticipate their consequences." *Ecological Indicators* 90 (2018): 334-345., @2018 [Линк](#) 1.000
 205. Romero-Bermy, Emilio I., et al. "The fish fauna of three lagoon-estuarine systems in the northeastern Gulf of Tehuantepec, Mexican south Pacific." *Revista Mexicana de Biodiversidad* 89.1 (2018)., @2018 [Линк](#) 1.000
 206. Teichert, N., Lepage, M., & Lobry, J. (2018). Beyond classic ecological assessment: The use of functional indices to indicate fish assemblages sensitivity to human disturbance in estuaries. *Science of The Total Environment*, 639, 465-475., @2018 [Линк](#) 1.000
 207. Ben, F. S., Ben, O. S., Cravo-Laureau, C., Mahmoudi, E., Bru, N., Monperrus, M., & Duran, R. (2019). Bacterial community assemblages in sediments under high anthropogenic pressure at Ichkeul Lake/Bizerte Lagoon hydrological system, Tunisia. *Environmental pollution (Barking, Essex: 1987)*, 252(Pt A), 644-656., @2019 [Линк](#) 1.000
 208. Itsukushima, R., Yoshikawa, H., & Morita, K. (2019). Relationship between physical environmental factors and presence of molluscan species in medium and small river estuaries. *Estuarine, Coastal and Shelf Science*, 218, 300-309., @2019 [Линк](#) 1.000
 209. Scapin, L., Zucchetto, M., Bonometto, A., Feola, A., Boscolo Brusà, R., Sfriso, A., & Franzoi, P. (2019). Expected Shifts in Nekton Community Following Salinity Reduction: Insights into Restoration and Management of Transitional Water Habitats. *Water*, 11(7), 1354., @2019 [Линк](#) 1.000
 210. Zucchetto, M., Scapin, L., Franco, A., & Franzoi, P. (2020). Uncertainty in developing fish based multi-metric indices. *Ecological Indicators*, 108, 105768., @2019 [Линк](#) 1.000
 211. Souza, G. B. G., & Vianna, M. (2020). Fish-based indices for assessing ecological quality and biotic integrity in transitional waters: A systematic review. *Ecological Indicators*, 109, 105665., @2020 [Линк](#) 1.000
 - 212 Erostate, M., Huneau, F., Garel, E., Ghiotti, S., Vystavna, Y., Garrido, M., & Pasqualini, V. (2020). Groundwater dependent ecosystems in coastal Mediterranean regions: Characterization, challenges and management for their protection. *Water Research*, 172, 115461. @2020 <https://www.sciencedirect.com/science/article/abs/pii/S0043135419312382>
25. Raykov, V., Panayotova, M., Ivanova, P., Dobrovolov, I., Maximov, V. First record and allozyme data of European mudminnow *Umbra krameri* Walbaum, 1792 (Pisces: Umbridae) in the Black Sea.. *Comptes Rendus de l'Academie Bulgare des Sciences*, 65, (1), Prof. Marin Drinov Publishing House of Bulgarian Academy of Sciences, 2012, ISSN:1310-1331, 49-52. ISI IF:0.211

Цитира се в:

213. Hajdú, J., Várkonyi, L., Ševc, J., Muller, T. 2015. Corrective notice to the European mudminnow (*Umbra krameri* Walbaum, 1792) record from the Black Sea. *Biologia* 70/10: 1429–1431, Short Communication, @2015 1.000
214. Yankova, M. 2016. Alien invasive fish species in Bulgarian waters: An Overview. *International Journal of Fisheries and Aquatic Studies*, 4(2): 282-290., @2016 1.000
215. Marić, S., Stanković, D., Wanzenböck, J., Šanda R., Erős T., Takács P., Specziár A., Sekulić N., Bănăduc D., Čaleta M., Trombitsky I., Galambos L., Sipos S., Snoj A., 2017. Phylogeography and population genetics of the European mudminnow (*Umbra krameri*) with a time-calibrated phylogeny for the family Umbridae. *Hydrobiologia* (2017) 792 (1): 151-168., @2017 [Линк](#) 1.000
216. Spiridonov, V. A., & Zalota, A. K. (2017). Understanding and forecasting dispersal of non-indigenous marine decapods (Crustacea: Decapoda) in East European and North Asian waters. *Journal of the Marine Biological Association of the United Kingdom*, 97(3), 591-611., @2017 [Линк](#) 1.000
26. Raykov, V., Panayotova, M.. Cetaceans sightings off the Bulgarian Black Sea coast over the period 2006 – 2010. *Journal of Environmental Protection and Ecology (JEPE)*, 13, Balkan Environmental Association (B.EN.A.), 2012, ISSN:3A, 1824-1835. ISI IF:0.27

Цитира се в:

217. Savenko O., Ivanchikova J., Hulak B., Derkacheva T., 2016. Sightings of cetaceans in the waters of Yuzhny sea port (Hryhorivsky estuary, Black Sea) in 2015–2016. *Proceedings of the Theriological School*. 14 (2016): 134–138, @2016 [Линк](#) 1.000
218. Sánchez-Cabanes A., Maja Nimak-Wood, Nicola Harris, Renaud de Stephanis, 2017. Habitat preferences among three top predators inhabiting a degraded ecosystem, the Black Sea. *Scientia Marina* 81(2), June 2017, @2017 [Линк](#) 1.000
219. Вишнякова, К. А., 2017. Морская свинья (*Phocoena phocoena*) в Азовском море и северо-восточной части Черного моря: популяционная морфология и демография. Диссертация на соискание ученой степени кандидата биологических наук., 143 стр., Киев, 2017, @2017 [Линк](#) 1.000
220. Evtimova V., Parvanov D., Grozdanov A., Dimitrov K., Tserkova F., Yordanov S., Velina Y., Petrova E., Yordanova Y., Delov V., 2018. Cetacean mortality along the Bulgarian Black Sea Coast during 2017. *ZooNotes* 134: 1-4(2018), @2018 [Линк](#) 1.000
27. Panayotova M., Raykov V., Todorova V.. Turbot (*Psetta maxima* L.) abundance indices and stock dynamics of Bulgarian Black Sea coast during the period 2006-2009. *Acta Zoologica Bulgarica*, 64, 1, Bulgarian Academy of Sciences, 2012, ISSN:0324-0770, 85-91. SJR:0.231

Цитира се в:

221. Ak, O. , Ceylan, B., Aydin, İ., Polat, H., Küçük, E., Eroğlu, O., Kapiris, K. Stock enhancement by hatchery-released turbot, *Psetta maxima*, in the southeastern Black sea: Capture, migration, growth and diet analyses. *Scientia Marina*. Vol. 80, Issue 2, 2016, Pages 163-174., @2016 [Линк](#) 1.000

28. Sampson, D., Ak, O., Daskalov, G., Cardinale, M., Charef, A., Duzgunes, E., Genç, Y., Gucu, A.C., Maximov, V., Mikhaylyuk, A., Orio, A., Osio, G. C., **Panayotova, M.**, Radu, G., **Raykov, V.**, Shlyakhov, V., **Yankova, M.**, Zengin, M. . Scientific, Technical and Economic Committee for Fisheries (STECF) – 2013. Assessment of Black Sea stocks (STECF 13-20). EUR – Scientific and Technical Research series, Luxembourg: Publications Office of the European Union, 2013, ISBN:978-92-79-33772-7, ISSN:1831-9424, DOI:10.2788/34535, 1-434

Цитира се в:

222. Гладиллина Е. В., 2017. Структура локальных популяций и биология афалины (*Tursiops truncatus*) в 1.000 прибрежных водах северо-восточной части Черного моря. Диссертация на соискание ученой степени кандидата биологических наук., 167 стр., Киев, 2017, @2017 [Линк](#)

2014

29. Barreiros, J. P., **Raykov, V. S.** Lethal lesions and amputation caused by plastic debris and fishing gear on the loggerhead turtle *Caretta caretta* (Linnaeus, 1758). Three case reports from Terceira Island, Azores (NE Atlantic). *Marine Pollution Bulletin*, 1-2, 86, Elsevier Ltd., 2014, ISSN:0025-326X, DOI:10.1016/j.marpolbul.2014.07.020, 518-522. SJR (Scopus):1.215, JCR-IF (Web of Science):4.01

Цитира се в:

223. Katzenberger, T. D. (2015). Assessing the biological effects of exposure to microplastics in the three-spined 1.000 stickleback (*Gasterosteus aculeatus*)(Linnaeus 1758) (Doctoral dissertation, University of York)., @2015 [Линк](#)
224. Kühn, S., Rebolledo, E. L. B., & van Franeker, J. A. (2015). Deleterious effects of litter on marine life. In *Marine 1.000 anthropogenic litter* (pp. 75-116). Springer, Cham., @2015 [Линк](#)
225. Mearns, A. J., Reish, D. J., Oshida, P. S., Ginn, T., Rempel-Hester, M. A., Arthur, C., ... & Pryor, R. (2015). 1.000 Effects of pollution on marine organisms. *Water Environment Research*, 87(10), 1718-1816., @2015 [Линк](#)
226. Weber, Miriam, et al. "Open-Bio Opening bio-based markets via standards, labelling and procurement D.5.5, 1.000 @2015 [Линк](#)
227. Adelir-Alves, J., Rocha, G. R. A., Souza, T. F., Pinheiro, P. C., & Freire, K. D. M. F. (2016). Abandoned, lost or 1.000 otherwise discarded fishing gears in rocky reefs of Southern Brazil. *Brazilian Journal of Oceanography*, 64(4), 427-434., @2016 [Линк](#)
228. Andrades, R., Martins, A. S., Fardim, L. M., Ferreira, J. S., & Santos, R. G. (2016). Origin of marine debris is 1.000 related to disposable packs of ultra-processed food. *Marine pollution bulletin*, 109(1), 192-195., @2016 [Линк](#)
229. Blasi, M. F., Roscioni, F., & Mattei, D. (2016). Interaction of loggerhead turtles (*Caretta caretta*) with traditional 1.000 fish aggregating devices (FADs) in the Mediterranean Sea. *Herpetological Conservation and Biology*, 11, 386-401., @2016 [Линк](#)
230. Nelms, S. E., Duncan, E. M., Broderick, A. C., Galloway, T. S., Godfrey, M. H., Hamann, M., ... & Godley, B. J. 1.000 (2015). Plastic and marine turtles: a review and call for research. *ICES Journal of Marine Science*, 73(2), 165-181., @2016 [Линк](#)
231. Rees, A. F., Alfaro-Shigueto, J., Barata, P. C. R., Bjørndal, K. A., Bolten, A. B., Bourjea, J., ... & Casale, P. 1.000 (2016). Are we working towards global research priorities for management and conservation of sea turtles?.

- Endangered Species Research, 31, 337-382., @2016 [Линк](#)
233. Stelfox, M., Hudgins, J., & Sweet, M. (2016). A review of ghost gear entanglement amongst marine mammals, 1.000 reptiles and elasmobranchs. Marine pollution bulletin, 111(1-2), 6-17., @2016 [Линк](#)
234. Collard, F., Gasperi, J., Gilbert, B., Eppe, G., Rocher, V., Azimi, S., & Tassin, B. "Occurrence of anthropogenic 1.000 particles in the fish *Squalius cephalus* from the Seine and Marne Rivers"(2017).15th International Conference on Environmental Science and Technology Rhodes, Greece, 31 August to 2 September 2017, @2017 [Линк](#)
235. Collard, France, et al. "Présence de particules anthropiques dans les contenus stomacaux et dans le foie d'un 1.000 poisson d'eau douce, le chevesne."PIREN-Seine phase VII - rapport 2017 – Présence de particules anthropiques dans le chevesne, @2017 [Линк](#)
236. Duncan, E. M., Botterell, Z. L., Broderick, A. C., Galloway, T. S., Lindeque, P. K., Nuno, A., & Godley, B. J. 1.000 (2017). A global review of marine turtle entanglement in anthropogenic debris: a baseline for further action. Endangered Species Research, 34, 431-448., @2017 [Линк](#)
237. Hassold, Terry. "AUTHOR QUERIES-TO BE ANSWERED BY THE CORRESPONDING AUTHOR." Human 1.000 Molecular Genetics 16.1-5 (2007)., @2017 [Линк](#)
238. Ramirez-Ekner, S., Bidstrup, M., Brusén, N. H., Rugaard-Morgan, Z. Z., & Khan, F. (2017). Elimination of 1.000 Plastic Polymers in Natural Environments., @2017 [Линк](#)
239. Rojo-Nieto, E., & Montoto Martínez, T. (2017). Basuras marinas, plásticos y microplásticos: orígenes, impactos 1.000 y consecuencias de una amenaza Ecologistas en Acción global.<http://hdl.handle.net/10553/56275>, @2017 [Линк](#)
240. Vasilakis, Mikaela Puranen. "Plastavfall i marina miljöer och dess konsekvenser för den oäkta 1.000 karetsköldpaddan (*Caretta caretta*)."*Independe n t P r o j e c t i n B i o l o g y S j ä l v s t ä n d i g t a r b e t e i b i o l o g i , 1 5 h p , v å r t e r m i n e n 2 0 1 7 I n s t i t u t i o n e n f ö r b i o l o g i s k g r u n d u t b i l d n i n g , U p p s a l a u n i v e r s i t e t , @2017 [Линк](#)*
241. Chambault, P., Vandeperre, F., Machete, M., Lagoa, J. C., & Pham, C. K. (2018). Distribution and composition 1.000 of floating macro litter off the Azores archipelago and Madeira (NE Atlantic) using opportunistic surveys. Marine environmental research, 141, 225-232., @2018 [Линк](#)
242. Battisti, C., Kroha, S., Kozuharova, E., De Michelis, S., Fanelli, G., Poeta, G., ... & Cerfolli, F. (2019). Fishing 1.000 lines and fish hooks as neglected marine litter: first data on chemical composition, densities, and biological entrapment from a Mediterranean beach. Environmental Science and Pollution Research, 26(1), 1000-1007., @2019 [Линк](#)
243. Franchini, Della, et al. "ASSESSMENT OF RESIDUAL VASCULARIZATION OF THE LIMB AS A 1.000 PROGNOSTIC FACTOR TO AVOID SEA TURTLE FLIPPER AMPUTATION." Journal of wildlife diseases (2019)., @2019 [Линк](#)
244. Parton, K. J., Galloway, T. S., & Godley, B. J. (2019). Global review of shark and ray entanglement in 1.000 anthropogenic marine debris. Endangered Species Research, 39, 173-190., @2019 [Линк](#)
245. PHILLOTT, ANDREA D., and MATTHEW H. GODFREY. "WHEN IS A STRANDED TURTLE A BYCATCH 1.000 TURTLE? ASSESSING POTENTIAL CAUSE OF STRANDING IN SEA TURTLES." rehabilitation (2019)., @2019 [Линк](#)
246. Staffieri, E., de Lucia, G. A., Camedda, A., Poeta, G., & Battisti, C. (2019). Pressure and impact of 1.000 anthropogenic litter on marine and estuarine reptiles: an updated "blacklist" highlighting gaps of evidence.

246. Cordova, M. R. (2020). Marine Plastic Debris: Distribution, Abundance, and Impact on Our Seafood. In **1.000** Handbook of Research on Environmental and Human Health Impacts of Plastic Pollution (pp. 94-121). IGI Global., @2020 [Линк](#)
247. Cordova, Muhammad Reza. "Marine Plastic Debris: Distribution, Abundance, and Impact on Our Seafood." **1.000** Handbook of Research on Environmental and Human Health Impacts of Plastic Pollution. IGI Global, 2020. 94-121., @2020 [Линк](#)
248. Franchini, D., Valastro, C., Ciccarelli, S., Ricciardi, M., Lenoci, D., Corrente, M., Di Bello, A. Assessment of residual vascularization of the limb as a prognostic factor to avoid sea turtle flipper amputation (2020) Journal of Wildlife Diseases, 56 (1), pp. 145-156., @2020 [Линк](#)
249. Prata, J.C., da Costa, J.P., Lopes, I., Duarte, A.C., Rocha-Santos, T. Environmental status of (micro)plastics contamination in Portugal (2020) Ecotoxicology and Environmental Safety, 200, art. no. 110753, ., @2020 [Линк](#)
250. Tramoy, R., Gasperi, J., Colasse, L., Silvestre, M., Dubois, P., Noûs, C., Tassin, B. Transfer dynamics of macroplastics in estuaries – New insights from the Seine estuary: Part 2. Short-term dynamics based on GPS-trackers (2020) Marine Pollution Bulletin, 160, art. no. 111566, ., @2020 [Линк](#)
251. Tramoy, R., Gasperi, J., Colasse, L., Tassin, B. Transfer dynamic of macroplastics in estuaries — New insights from the Seine estuary: Part 1. Long term dynamic based on date-prints on stranded debris (2020) Marine Pollution Bulletin, 152, art. no. 110894, ., @2020 [Линк](#)

2015

30. Crise, A., Kaberi H., Ruiz J., Zatsepin A., Arashkevich E., Giani M., Karageorgis A.P., Prieto L., Pantazi M., Gonzalez-Fernandez D., Ribera d'Alcalà M., Tornero V., Vassilopoulou V., Durrieu de Madron X., Guieu C., Puig P., Zenetos A., Andral B., Angel D., Altukhov D., Ayata S.D., Aktan Y., Balçioğlu E., Benedetti F., Bouchoucha M., Buia M.C., Cadiou J.-F., Canals M., Chakroun M., Christou E., Christidis M. G., Civitarese G., Coatu V., Corsini-Foka M., Cozzi S., Deidun A., Dell'Aquila A., Dogrammatzi A., Dumitrache C., Edelst D., Ettahiri O., Fonda-Umani S., Gana S., Galgani F., Gasparini S., Giannakourou A., Gomoiu M. -T., Gubanova A., Gücü A.-C., Gürses Ö., Hanke G., Hatzianestis I., Herut B., Hone R., Huertas E., Irissou J.-O., İşinibilir M., Jime J. A., Kalogirou S., Kapiris K., Karamfilov V., Kavadas S., Keskin Ç., Kideys A. E., Kocak M., Kondylatos G., Kontogiannis C., Kosyan R., Koubbi P., Kušpilić G., La Ferla R., Langone L., Laroche S., Lazar L., Lefkaditou E., Lemesko I.E., Machias A., Malej A., Mazzocchi M.-G., Medinets V., Mihalopoulos N., Miseroocchi S., **Moncheva S.**, Mukhanov V., Oaie G., Oros A., Öztürk A. A., Öztürk B., **Panayotova M.**, Prospathopoulos A., Radu G., **Raykov V.**, Reglero P., Reygondeau G., Rougeron N., Salihoglu B., Sanchez-Vidal A., Sannino G., Santinelli C., Secrieru D., Shapiro G., Simboura N., Shiganova T., Sprovieri M., **Stefanova K.**, Streftaris N., Tirelli V., Tom M., Topaloğlu B., Topçu N. E., Tsagarakis K., Tsangaris C., Tserpes G., Tuğrul S., Uysal Z., Vasile D., Violaki K., Xu J., Yüksek A., Papathanassiou E.. A MSFD complementary approach for the assessment of pressures, knowledge and data gaps in Southern European Seas: The PERSEUS experience. Marine Pollution Bulletin, 95, Elsevier, 2015, DOI:<http://dx.doi.org/10.1016/j.marpolbul.2015.03.024>, 28-39. SJR:1.145, ISI IF:2.68

Цитира се в:

252. Franzo, A., Cibic, T., Del Negro, P. and De Vittor, C., 2015. Spatial distribution of microphytobenthos, meiofauna and macrofauna in the north-western Adriatic Sea: a synoptic study. Advances in Oceanography and Limnology, 6(1/2), @2015 [Линк](#)
253. Jayasinghe, R.P.K., Amarasinghe, U.S. and Newton, A., 2015. Evaluation of marine subareas of Europe using life history parameters and trophic levels of selected fish populations. Marine environmental research, 112, **0.067**

pp.81-90. IF = 2.762, @2015 [Линк](#)

254. Amor K.-B., Rifi M., Ghanem R., Draief I., Zaouali J., Ben Souissi J., 2016. Update of alien fauna and new records from Tunisian marine waters. *Mediterranean Marine Science*, Vol. 17, Issue 1, 2016, 124-143 pp., @2016 [Линк](#) 0.067
255. Bonamano, S., Piermattei, V., Madonia, A., Paladini de Mendoza, F., Pierattini, A., Martellucci, R., Stefani, C., Zappalà, G., Caruso, G., and Marcelli, M.: The Civitavecchia Coastal Environment Monitoring System (C-CEMS): a new tool to analyze the conflicts between coastal pressures and sensitivity areas, *Ocean Sci.*, 12, 87-100, <https://doi.org/10.5194/os-12-87-2016>, 2016, @2016 [Линк](#) 0.067
256. Caruso G., M.Azzaro, C. Caroppo, F Decembrini, L. Salvador Monticelli, M. Leonardi, G Maimone, R. Zaccone and R La Ferla, 2016. Microbial community and its potential as descriptor of environmental status. *ICES Journal of Marine Science* (2016), doi:10.1093/icesjms/fsw101., @2016 [Линк](#) 0.067
257. Combi T., M. G. Pintado-Herrera, Pablo A. Lara-Martin, Stefano Miserocchi c, Leonardo Langone, Roberta Guerra, 2016. Distribution and fate of legacy and emerging contaminants along the Adriatic Sea: A comparative study. *Environmental Pollution* (2016), 1-10, <http://dx.doi.org/10.1016/j.envpol.2016.08.057>, @2016 [Линк](#) 0.067
258. Parinos, C. and Gogou, A., 2016. Suspended particle-associated PAHs in the open eastern Mediterranean Sea: Occurrence, sources and processes affecting their distribution patterns. *Marine Chemistry*, 180, pp.42-50., @2016 [Линк](#) 0.067
259. Pettex E., Léa David, Matthieu Authier, Aurélie Blanck, Ghislain Dorémus, Hélène Falchetto, Sophie Laran, Pascal Monestiez, Olivier Van Canneyt, Auriane Virgili and Vincent Ridoux. Using large scale surveys to investigate seasonal variations in seabird distribution and abundance. Part I: the North Western Mediterranean Sea, *Deep-Sea Research, Part II Topical Studies in Oceanography*, November 2016, <http://dx.doi.org/10.1016/j.dsr2.2016.11.008>, @2016 [Линк](#) 0.067
260. Pettex, E., Laran, S., Authier, M., Blanck, A., Dorémus, G., Falchetto, H., Lambert, C., Monestiez, P., Stéfan, E., Van Canneyt, O. and Ridoux, V., 2016. Using large scale surveys to investigate seasonal variations in seabird distribution and abundance. Part II: The Bay of Biscay and the English Channel. *Deep Sea Research Part II: Topical Studies in Oceanography.*, @2016 [Линк](#) 0.067
261. Lopes-Rocha, Marília, Leonardo Langone, Stefano Miserocchi, Patrizia Giordano, and Roberta Guerra. "Spatial patterns and temporal trends of trace metal mass budgets in the western Adriatic sediments (Mediterranean Sea)." *The Science of the total environment* 599 (2017): 1022., @2017 [Линк](#) 0.067
262. Paganelli, Daniela, Paola La Valle, Marina Pulcini, Raffaele Proietti, Luisa Nicoletti, Barbara La Porta, Loretta Lattanzi, Alfredo Pazzini, Monica Targusi, and Massimo Gabellini. "Towards an evaluation of physical loss pressure in the Italian seas for the implementation of the marine strategy framework directive." *Journal of the Marine Biological Association of the United Kingdom* (2017): 1-9., @2017 [Линк](#) 0.067
263. Pettex Emeline, David Léa, Authiera Matthieu, Blanck Aurélie, Dorémus Ghislain, Falchetto Hélène, Laran Sophie, Monestiez Pascal, Canneyt Olivier Van, Virgili Auriane, Ridoux Vincent, 2017. Using large scale surveys to investigate seasonal variations in seabird distribution and abundance. Part I: The North Western Mediterranean Sea. *Deep-Sea Research II Topical Studies in Oceanography*, Volume 141, Pages 74-85., @2017 [Линк](#) 0.067
264. Pettex Emeline, Laran Sophie, Authiera Matthieu, Blanck Aurélie, Dorémus Ghislain, Falchetto Hélène, Lambert Charlotte, Monestiez Pascal, Stéfan Eric, Canneyt Olivier Van, Ridoux Vincent, 2017. Using large scale surveys to investigate seasonal variations in seabird distribution and abundance. Part II: The Bay of Biscay and the English Channel, *DEEP-SEA RESEARCH PART II-TOPICAL STUDIES IN OCEANOGRAPHY* Volume: 141 Special Issue: SI Pages: 86-101, @2017 [Линк](#) 0.067

265. Pucciarelli, Gianluca, Silvio Simeone, Giuseppe Madonna, and Michele Virgolesi. "L'uso degli smartphone nel personale infermieristico: una revisione narrativa della letteratura." *PROFESSIONI INFERMIERISTICHE* 70, no. 2 (2017)., @2017 [Линк](#) 0.067
266. Raicevich S., Battaglia P., Fortibuoni T., Romeo T., Giovanardi O. and Andaloro F., 2017. Critical Inconsistencies in Early Implementations of the Marine Strategy Framework Directive and Common Fisheries Policy Objectives Hamper Policy Synergies in Fostering the Sustainable Exploitation of Mediterranean Fisheries Resources. *Frontiers in Marine Science*, 1-6 pp., doi: 10.3389/fmars.2017.00316, @2017 [Линк](#) 0.067
267. Dailianis T., Smith C.J., Papadopoulou N., Gerovasileiou V., Sevastou K., Bekkby T., Bilan M., Carreiro-Silva M., Morato T., Pham C.K., Billett D., Boström C., Gagnon K., Danovaro R., Gambi C., Frascchetti S., Grehan A., Kipson S., Kotta J., Ojaveer H. et al., 2018. Human activities and resultant pressures on key European marine habitats: an analysis of mapped resources, 2018. *Marine Policy*, vol. 98, 1-10 pp., @2018 0.067
268. Laranjeiro F., Oliveira I.B., Galante-Oliveira S., Barroso C., Sánchez-Marín P., 2018. Environmental quality status of the Portuguese coast regarding TBT pollution – recommendations for considering imposex monitoring within the scope of the marine strategy framework directive. *Ecological Indicators*, vol. 93, 966-974 pp., @2018 0.067
269. Paganelli, D., La Valle, P., Pulcini, M., Proietti, R., Nicoletti, L., La Porta, B., Lattanzi, L., Pazzini, A., Targusi, M., Gabellini, M. "Towards an evaluation of physical loss pressure in the Italian seas for the implementation of the marine strategy framework directive". *Journal of the Marine Biological Association of the United Kingdom*, 2018, 98(1), pp. 61-69, @2018 [Линк](#) 0.067
270. d'Alcala, M.R. Similarities, differences and mechanisms of climate impact on terrestrial vs. Marine ecosystems (2019) *Nature Conservation*, 34, pp. 505-523., @2019 [Линк](#) 0.067
271. Dettenrieder C., Raichlin Y., Katzir A. and Mizaikoff B., 2019. Toward the Required Detection Limits for Volatile Organic Constituents in Marine Environments with Infrared Evanescent Field Chemical Sensors. *Sensors*, 2019, 19(17), 3644; <https://doi.org/10.3390/s19173644>, @2019 [Линк](#) 0.067
272. Lefebvre, A., Poisson-Caillault, E., 2019. High resolution overview of phytoplankton spectral groups and hydrological conditions in the eastern English Channel using unsupervised clustering. *Marine Ecology Progress Series*, vol. 608, 73-92 pp., @2019 [Линк](#) 0.067
273. Rombouts I., Simona N., Aubert A., Cariouc T., Feunteunb E., Guérine L., Hoebekec M., McQuatters-Gollopf A., Rigaut-Jalabertc F., Artigas L.F., 2019. Changes in marine phytoplankton diversity: Assessment under the Marine Strategy Framework Directive. *Ecological Indicators*, vol. 102, 265–277 pp., @2019 [Линк](#) 0.067
274. Shakman E., Eteayb K., Taboni I., Ben Abdalha A., 2019. Status of marine alien species along the Libyan coast. *J. Black Sea/Mediterranean Environment*, Vol. 25, No. 2: 188-209 pp., @2019 [Линк](#) 0.067
275. Van Audenhaege L., Fariñas-Bermejo A., Schultza T., Lee Van Dover C., 2019. An environmental baseline for food webs at deep-sea hydrothermal vents in Manus Basin (Papua New Guinea). *Deep-Sea Research Part I Oceanographic Research Papers*, Vol. 148, 88-99 pp., DOI: 10.1016/j.dsr.2019.04.018, @2019 [Линк](#) 0.067
276. Cadiou, J.-F., Gerigny, O., Koren, Š., Zeri, C., Kaberi, H., Alomar, C., Panti, C., Fossi, M.C., Adamopoulou, A., Digka, N., Deudero, S., Concato, M., Carbonell, A., Bains, M., Galli, M., Galgani, F. Lessons learned from an intercalibration exercise on the quantification and characterisation of microplastic particles in sediment and water samples (2020) *Marine Pollution Bulletin*, 154, art. no. 111097, ., @2020 [Линк](#) 0.067
277. Katz, T., Weinstein, Y., Alkalay, R., Biton, E., Toledo, Y., Lazar, A., Zlatkin, O., Soffer, R., Rahav, E., Sisma-Ventura, G., Bar, T., Ozer, T., Gildor, H., Almogi-Labin, A., Kanari, M., Berman-Frank, I., Herut, B. The first deep-sea mooring station in the eastern Levantine basin (DeepLev), outline and insights into regional sedimentological processes (2020) *Deep-Sea Research Part II: Topical Studies in Oceanography*, 171, art. no. 0.067

104663, ., @2020 [Линк](#)

278. Kondylatos, G., Crocetta, F., Corsini-Foka, M., Froggia, C. Crustacea decapoda from the Rhodes island area (Eastern Mediterranean): New records and an updated checklist (2020) Diversity, 12 (6), art. no. 246, ., @2020 [Линк](#)
279. Orejas, C., Kenchington, E., Rice, J., Kazanidis, G., Pali Alexis, A., Johnson, D., Gianni, M., Danovaro, R., Roberts, J.M. Towards a common approach to the assessment of the environmental status of deep-sea ecosystems in areas beyond national jurisdiction (2020) Marine Policy, art. no. 104182, ., @2020 [Линк](#)
280. Posen, P.E., Hyder, K., Teixeira Alves, M., Taylor, N.G.H., Lynam, C.P. Evaluating differences in marine spatial data resolution and robustness: A North Sea case study. (2020) Ocean and Coastal Management, 192, art. no. 105206, ., @2020 [Линк](#)
281. Poursanidis, D., Kalogirou, S., Azzurro, E., Parravicini, V., Bariche, M., zu Dohna, H. Habitat suitability, niche unfilling and the potential spread of Pterois miles in the Mediterranean Sea (2020) Marine Pollution Bulletin, 154, art. no. 111054, ., @2020 [Линк](#)
31. Abell2, J. A., Andersen, J., Bailey, N., Bertignac, M., Cardinale, M., Curtis, H., Daskalov, G., Delaney, A., Döring, R., Garcia Rodriguez, M., Gascuel, D., Graham, N., Gustavsson, T., Jennings, S., Kenny, A., Kraak, S., Kuikka, S., Malvarosa, L., Martin, P., Murua, H., Nord, J., Nowakowski, P., Prellezo, R., Sala, A., Scarcella, G., Somarakis, S., Stransky, C., Theret, F., Ulrich, C., Vanhee, W., Van Oostenbrugge, H., Ak, O., Chashchyn O., Dagtekin M., Duzgunes E., Gucu Ali C., Leonchik Y., Ligas A., Mannini A., Maximov V., Murenu M., Panayotova M., Radu G., Raykov V., Yankova M., Zengin M.. Scientific, Technical and Economic Committee for Fisheries (STECF) – Black Sea assessments (STECF-15-16). JRC Scientific and Policy Reports, Publications Office of the European Union, 2015, ISBN:978-92-79-52737-1, ISSN:1018-5593, DOI:10.2788/29417, 1-284
- Цитира се в:
282. Guraslan C., Fach B.A., Oguz, T., 2017. Understanding the impact of environmental variability on anchovy overwintering migration in the black sea and its implications for the fishing industry. . Frontiers in Marine Science, vol.4:275. DOI: 10.3389/fmars.2017.00275, @2017 [Линк](#)
283. Oguz, T., 2017. Controls of multiple stressors on the Black Sea fishery. Frontiers in Marine Science, vol.4:110. DOI: 10.3389/fmars.2017.00110, ., @2017 [Линк](#)
284. Salihoglu B., Arkin S. S., Akoglu E., Fach B. A., 2017. Evolution of Future Black Sea Fish Stocks under Changing Environmental and Climatic Conditions. Frontiers in Marine Science, vol.4:339, DOI = 10.3389/fmars.2017.00339, @2017 [Линк](#)
285. Todorova N., Alyomov S.V., Chiotoroiu B.C., Fach B., Osadchaya T.S., Rangelov M., Salihoglu B., Vasilev V., 2018. Chapter 8: Black Sea Sea. In book: World Seas: An Environmental Evaluation. 2nd Edition, Volume I: Europe, The Americas and West Africa, Publisher: Academic Press, Elsevier., @2018 [Линк](#)
286. Yıldız, T., Karakulak, F.S., 2018. Batı Karadeniz (Şile-İğneada) Dip Trol Balıkçılığında Av Kompozisyonu. Journal of Aquaculture Engineering and Fisheries Research, 4(1), 20-34. DOI: 10.3153/JAEFR1800, @2018 [Линк](#)
32. Nikolov, V., Ivanova, P., Dzhembekova, N., Panayotova, M., Raykov, V., Dobrovolov, I.. Application of allozyme markers for screening of turbot populations along Western Black Sea coast. ZooNotes, 79, 2015, ISSN:1313-9916, 1-15

Цитира се в:

287. do Prado F. D., Vera M., Hermida M., Bouza C., Pardo B. G., Vilas R., Blanco A., Fernández C., Maroso F., 1.000 Maes G.E., Turan C., Volckaert F., Taggart J.B., Carr A., Ogden R., Nielsen E.E., The Aquatrace Consortium, Martínez P., 2018. Parallel evolution and adaptation to environmental factors in a marine flatfish: Implications for fisheries and aquaculture management of the turbot (*Scophthalmus maximus*). *Evol Appl.* 2018;00:1–20. <https://doi.org/10.1111/eva.12628>, @2018 [Линк](#)
33. Raykov, V. St., Barreiros, J. P.. Records of predatory, con specific and human induced mauls on fishes from the Northeast Atlantic and Black Sea. 1, 21, 3, TUDAV, 2015, ISSN:1304-9550, 264-277

Цитира се в:

288. 1. Kuhn S., Bravo.E., Franeker Van J.A. 2015 Deleterious Effects of Litter on Marine Life OI: 10.1007/978-3- 1.000 319-16510-3_4 In book: Marine Anthropogenic Litter, Chapter: 4, Publisher: Springer, Berlin, Editors: Bergmann, M, Gutow, L, and Klages, M, pp.75-116, @2015
289. 2. Mearns, A. J., Reish, D. J., Oshida, P. S., Ginn, T., Rempel-Hester, M. A., Arthur, C. & Pryor, R. (2015). 1.000 Effects of Pollution on Marine Organisms. *Water Environment Research*, 87(10), 1718-1816. doi: 10.2175/106143015X14338845156380 IF 0.865 (2014), @2015
290. Kühn, S., Rebolledo, E. L. B., & van Franeker, J. A. (2015). Deleterious effects of litter on marine life. In *Marine anthropogenic litter* (pp. 75-116). Springer International Publishing., @2015 [Линк](#) 1.000
291. Mearns, A. J., Reish, D. J., Oshida, P. S., Ginn, T., Rempel-Hester, M. A., Arthur, C., ... & Pryor, R. (2015). 1.000 Effects of Pollution on Marine Organisms. *Water Environment Research*, 87(10), 1718-1816., @2015 [Линк](#)
292. Adelir-Alves, J., Rocha, G. R. A., Souza, T. F., Pinheiro, P. C., & Freire, K. D. M. F. (2016). Abandoned, lost or 1.000 otherwise discarded fishing gears in rocky reefs of Southern Brazil. *Brazilian Journal of Oceanography*, 64(4), 427-434., @2016 [Линк](#)

2017

34. Keskin Ç, Ulman A, Zyllich K, Raykov V. St., Daskalov G, Zeller D, Pauly D. The Marine Fisheries in Bulgaria's Exclusive Economic Zone, 1950–2013. *Frontiers in Marine Science* Volume 4(Article 53):10, 4, 53, Frontiers, 2017, DOI:10.3389/fmars.2017.00053

Цитира се в:

293. Pantazi, Maria D. Metals Bioaccumulation in Important Marine Species of the Bulgarian Black Sea and 1.000 Screening-Level Human Health and Ecological Risk Assessment. Diss. 2018., @2018 [Линк](#)
294. Radford, Z., Hyder, K., Zarauz, L., Mugerza, E., Ferter, K., Prellezo, R., & Weltersbach, M. S. (2018). The 1.000 impact of marine recreational fishing on key fish stocks in European waters. *PLoS one*, 13(9), e0201666., @2018 [Линк](#)
295. Tinacci, L., Stratev, D., Vashin, I., Chiavaccini, I., Susini, F., Guidi, A., & Armani, A. (2018). Seafood labelling 1.000 compliance with European legislation and species identification by DNA barcoding: A first survey on the Bulgarian market. *Food Control*, 90, 180-188., @2018 [Линк](#)

35. Raykov St.V., Duzgunes E.. Fisheries Management in the Black Sea—Pros and Cons. 4, *Frontiers in Marine Sciences*, 2017, DOI:10.3389/fmars.2017.00227, SJR (Scopus):1.27, JCR-IF (Web of Science):3.661

Цитира се в:

296. Шляхов, В. А., Шляхова, О. В., Надолинский, В. П., & Перевалов, О. А. (2017). Промыслово-биологические показатели российского рыболовства для важнейших распределенных запасов водных биоресурсов Черного моря в 2015-2016 годах и в ретроспективном периоде. In *Современные рыбохозяйственные и экологические проблемы Азово-Черноморского региона* (pp. 24-38)., @2017 [Линк](#) 1.000
297. BALIK, İ. Karadeniz'e Kıyısı Bulunan Ülkelerin Karadeniz'deki Balıkçılık Yetki Alanları ve Balıkçılık Faaliyetleri. *Acta Aquatica Turcica*, 15(2), 117-125., @2019 [Линк](#) 1.000
298. Yıldız, T., Zengin, M., Uzer, U., Karakulak, F. S., & Akpınar, İ. Ö. (2019). Community structure of demersal assemblages in the southwestern Black Sea. *Regional Studies in Marine Science*, 32, 100844., @2019 [Линк](#) 1.000
299. Belova, G., Bekyashev, D., Bekyashev, K. International management of fishery in the black sea: Yesterday, present and tomorrow. (2020) *Balkanistic Forum*, 2, pp. 351-368., @2020 [Линк](#) 1.000
36. Ivanova, P. P., Trayanova, A., Stefanova, K., Stefanova, E., Raykov, V., Doncheva, V.. Population status of some alien species in Varna Bay, Bulgarian Black Sea coast (2015-2016). *Acta zoologica bulgarica*, 9, 2017, ISSN:0324-0770, 73-83. ISI IF:0.413

Цитира се в:

300. Trichkova T., Tomov r., Vladimirov V., Kalcheva H., UludağA. ESENIAS and DIAS Networks and Highlights of the 7th ESENIAS Workshop with Scientific Conference 'Networking and Regional Cooperation towards Invasive Alien Species Prevention and Management in Europe'. *Acta zool. bulg., Suppl.* 9, 2017: 5-19, @2017 [Линк](#) 1.000
301. Onur Gönülal and Pelin Saliha Çiftçi Türetken. "One of the most invasive alien species, *Penaeus aztecus* Ives, 1891 reached the Black Sea coasts". *BiolInvasions Records*, Volume 8, Issue 4: 871–875, 2019., @2019 [Линк](#) 1.000

2019

37. Turan C, Ivanova P, Raykov, V.St., Gurlek M, Erguden D, Yaglioglu D, Karan S, Dogdu SA, Uyan A, Ozturk B, Nikolov V, Dobrovolov I, Khanaychenko A, Giragosov V. Genetics Structure Analysis of Turbot (*Scophthalmus maximus*, Linnaeus, 1758) in the Black and Mediterranean Seas for Application of Innovative Management Strategies.. *Front. Mar. Sci.*, 6, 740, 2019, DOI:10.3389/fmars.2019.00740, SJR (Scopus):1.42, JCR-IF (Web of Science):3.661

Цитира се в:

302. Firdin, S., Ozturk, R.C., Alemdag, M., Eroglu, O., Terzi, Y., Kutlu, I., Duzgunes, Z.D., Cakmak, E., Aydin, I. Population genetic structure of turbot (*Scophthalmus maximus* L., 1758) in the Black Sea. (2020) 97 (4), pp. 1154-1164. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85090469615&doi=10.1111%2fjfb.14487&partnerID=40&md5=bc55a59f7296e5a7ca5de12444c418e8> DOI: 10.1111/jfb.14487, @2020 [Линк](#) 1.000